NEW SOUTH WALES.

VITAL STATISTICS.

TWENTY-SIXTH ANNUAL REPORT


FROM

THE REGISTRAR GENERAL, ON VITAL STATISTICS.

Printed in accordance with Resolutions of both Honses of Parliament.



SYDNEY: THOMAS RICHARDS, GOVERNMENT PRINTER.



VITAL STATISTICS.

THE REGISTRAR GENERAL TO THE HONORABLE THE COLONIAL SECRETARY,

TRANSMITTING ABSTRACTS OF

MARRIAGES, BIRTHS, AND DEATHS,

FOR THE YEAR 1881:

WITH PREFATORY REPORT.

Sir, Registrar General's Department, Sydney, 1 June, 1882.

I have the honor to forward Abstracts of the Marriages, Births, and Deaths, which have been registered during the year 1881.

The population of the Colony, as shown by the Census taken on the 3rd April, 1881, amounted to repulation 751,468 persons. Males numbered 411,149, and females 340,319, the percentage of the former being 54.71, and of the latter 45.29; so that the male exceeded the female sex by 9.42 per cent. The total addition to the population during the last decade was 247,487 persons, or 49.10 per cent. For the previous decade it was 43.64 per cent. The distribution of the population under the following heads was as follows:—

	Males.	Females.	Total.
Sydney	54,401	48,978	103,379
Suburbs	59,527	61,305	120,832
Jountry	297,221	230,036	527,257
	411,149	340,319	751,468

Thus we find that the excess of males over females in the City and Country Districts was 5.24 and 12.74 respectively, but in the Suburbs females were in excess of males by 1.48 per cent.

ESTIMATED Population of the Colony of New South Wales, 31st December, 1881.

	Males.	Females.	Total.	Males.	Females.	Total.
Births during the three Quarters ended 31st December, 1881 Arrivals by sea	11,275 *24,526	10,742 9,493	22,017 34,019	24 801		-66
Deaths during same period	4,953 †12,719	3,414 5,153	8,367 17,872	35,801	8,567	56,036 26,239
Increase during the three Quarters				18,129 411,149	11,668 340,319	29,797 751,468
				429,278	351,987	781,265

* Includes 3,752 Chinese, of which 3,176 arrived in June Quarter.

† Includes 805 Chinese,

From

224,211

111

Estimated population at the end

Marriages, Births, and Deaths. From the above Return it will be seen that the total estimated population on 31st December, 1881, was 781,265 persons, showing an increase of 29,797 persons since the Census was taken on 3rd of April.

The total number of marriages which took place in the Colony during the year 1881 was 6,284, being 712 over the figures of the previous year. Registered births are given as 28,993 in number, which shows an excess of 831 on the births of the preceding year. From the records of deaths we find that 11,536 were registered in the year, which gives an increase of 305 on the previous year.

(A.)

Table showing the Marriages, Births, and Deaths registered in the Colony of New South Wales, during each Quarter of the Year 1881.

Outstand and ad	Manniagos		Births.			Deaths.	
Quarter ended—	Marriages.	Male.	Female.	Total.	Male.	Female.	Total.
					ETP AL		
Sydney—							
31 March	437	458	480	938	222	267	60
30 June	471	453	467	930	333	225	520
30 September	470	497	449	946	292	238	53
31 December	449	487	450	937	343	253	59
Total	1,827	1,895	1,846	3,741	1,263	983	2,24
				1			
Suburbs—							\
Suburbs—							
31 March	203	613	565	1,178	307	330	63
30 June	216	662	588	1,250	265	237	50
30 September	204	700	687	1,387	220	208	42
31 December	225	727	629	1,356	294	245	53
Total	848	2,702	2,469	5,171	1,086	1,020	2,10
			14. 14. 14. 14.	1			
Country Districts—							
31 March	881	2,545	2,315	4,860	1,160	772	1,93
30 June	945	2,449	2,364	4,813	1,079	724	1,80
30 September	888	2,627	2,554	5,181	1,047	603	1,65
31 December	895	2,673	2,554	5,227	1,118	681	1,79
Total	3,609	10,294	9,787	20,081	4,404	2,780	7,18
New South Wales—							
31 March	1,521	3,616	3,360	6,976	1,800	1,369	3,16
30 June	1,632	3,564	3,419	6,983	1,639	1,186	2,82
30 September	1,562	3,824	3,690	7,514	1,559	1,049	2,60
31 December	1,569	3,887	3,633	7,520	1,755	1,179	2,93
Total	6,284	14,891	14,102	28,993	6,753	4,783	11,53

MARRIAGES.

Taking the estimated population of the Colony at the middle of the year, the marriage rate is found to be 8·23 per 1,000, the average for the decade being 7·71. With the exception of the year under review, the highest rate of any single year of the decade is 7·98 in 1873. The Marriage rate of Sydney has always been higher than either the Suburbs or Country Districts. The rates for the year 1881 were as follows:—Sydney, 17·41; Suburbs, 6·91; Country, 6·74. The average rates for the decade being 14·22, 6·49, and 6·58 respectively. The number of marriages celebrated in the Colony in the year 1872 was 3,925, and in the year 1881 they numbered 6,284.

(B.)

Table showing the number of Marriages registered in the Colony of New South Wales during each Quarter of the Years 1872 to 1881.

	White the same of the							
		Estimated Population at the middle of the year.	31 March.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.
Sydney	1872 1873 1874 1875 1876 1877 1878 1879 1880 1881	79,745 83,000 86,213 89,796 93,269 97,235 102,056 107,603 113,455 104,966*	305 316 277 324 321 339 358 341 416 437	256 346 339 324 349 344 386 350 398 471	264 299 306 297 296 350 350 342 381 470	230 297 302 287 298 310 324 384 408 449	1,055 1,258 1,224 1,232 1,264 1,343 1,418 1,417 1,603 1,827	13'23 15'15 14'19 13'72 13'55 13'81 13'89 13'17 14'13 17'41
Suburbs	1872 1873 1874 1875 1876 1877 1878 1879 1880 1881	63,160 65,738 68,281 71,119 73,872 77,014 80,833 85,226 89,861 122,687*	73 90 80 102 113 114 158 214 181	71 65 81 114 101 157 149 187 162 216	65 69 77 101 117 125 172 183 206 204	77 92 75 109 132 160 153 165 181	286 316 313 426 463 556 632 749 730 848	4'52 4'80 4'58 5'99 6'26 7'21 7'81 8'78 8'12 6'91
Country Districts	[1872 1873 1874 1875 1876 1877 1878 1879 1880 1881	384,777 400,479 415,976 433,264 450,025 469,163 492,427 519,190 547,426 535,353*	1,328 679 729 689 786 832 791 812 812 851 881	1,303 648 710 729 731 713 773 828 813 822 945	1,319 613 685 707 740 687 777 815 847 746 888	1,369 644 686 681 690 671 754 812 753 820 895	5,319 2,584 2,810 2,806 2,947 2,903 3,095 3,267 3,225 3,239 3,609 30,485	6.71 7.01 6.74 6.80 6.45 6.58 6.63 6.21 5.92 6.74
New South Wales	[1872 1873 1874 1875 1876 1877 1878 1879 1880 1881	527,682 549,217 570,470 594,179 617,166 643,412 675,316 712,019 750,742 763,006*	1,057 1,135 1,046 1,212 1,266 1,244 1,328 1,367 1,448 1,521	975 1,121 1,149 1,169 1,163 1,274 1,363 1,350 1,382 1,632	942 1,053 1,090 1,138 1,100 1,252 1,337 1,372 1,333 1,562	951 1,075 1,058 1,086 1,101 1,224 1,289 1,302 1,409	3,925 4,384 4,343 4,605 4,630 4,994 5,317 5,391 5,572 6,284	7.44 7.98 7.61 7.75 7.51 7.76 7.87 7.57 7.42 8.23

*This population is calculated on the basis of the Census taken 3rd April, 1881.

The number of marriages celebrated during the year 1881 and nine preceding years will be seen on reference to the preceding Table.

Denomination. 1872. 1873. 1874. 1875. 1876. 1877. 1878. 1879. 1880. 1881.

Denomination.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.
Church of England	1,381	1,547	1,572	1,618	1,759	1,869	2,098	2,182	2,252	2,487
Roman Catholic	836	992	837	953	921	990	1,009	982	1,021	1,171
Presbyterian	827	914	886	906	761	854	821	722	768	872
Wesleyan	397	462	518	502	487	509	556	605	618	651
Primitive Methodist	73	60	60	93	101	IIO	94	III	IOI	146
Congregationalist	148	164	180	186	232	243	291	331	364	433
Baptist	51	44	52	46	39	70	89	90	93	85
Christian Israelite										
Unitarian	3	3	I	I			I	I		
Hebrew	6	IO	IO	II	14	20	20	22	17	27
Protestant Episcopal		2	5	16	16	3	7	2	2	
Catholic and Apostolic										2
German Evangelical	9	7	14	17	19	20	II	13	9	13
Christians	3			4	4	3	II	7	9	3
Welsh Church								I		******
Free Christian Church				2	2					2
Registrars' Offices	191	179	208	250	275	303	309	322	318	392
Total	3,925	4,384	4,343	4,605	4,630	4,994	5,317	5,391	5,572	6,284

The Table now immediately following shows the number of marriages celebrated in the Colony by the various Denominations named, comparing the year under review with the previous year, and giving the percentages with increase or decrease.

MARRIAGE

MARRIAGE Table of Increase and Decrease.

Denomination.	1880.	1881.	per cent.	per cent.	Increase per cent.	Decrease per cent.
		.0.	1			0.85
Church of England	2,252	2,487	40.42	39.57		
Roman Catholic	1,021	1,171	18.35	18.68	0.36	*******
Presbyterian	768	872	13.48	13.87	0.00	
Wesleyan	618	651	11.00	10.36	*******	0.43
Primitive Methodist	IOI	146	1.81	2.35	0.21	
Congregationalists	364	433	6.53	6.89	0.36	
Baptist	93	85	1.67	1.35		0.35
Hebrew	17	27	0.31	0.43	0.15	
Protestant Episcopal	2		0.04	10		0.07
German Evangelical	9	13	0.19	0.50	0.04	
Christians	9		0.19	0.04		0.13
Holy Catholic and Apostolic	9	3 2		0'03		
Thory Catholic and Apostonic	********	2		0.03		
Free Christian Church						
Registrars' Offices	318	392	5.41	6.23	0.2	
	5,572	6,284	100,00	100,00	2.06	2.00

Out of the 12,568 persons married during the year there were 5,710 bachelors, 5,683 spinsters, 573 widowers, 590 widows, 1 divorced man, and 5 divorced women. In Sydney the number of bachelors and spinsters was nearly equal, being 1,642 and 1,636 respectively. In the Suburbs they were equal, and in the Country the numbers were 3,302 and 3,281 respectively.

Bachelors, Spinsters, &c

TABLE of Bachelors, Spinsters, &c.

	No. of 'Marriages.	Bachelors.	Spinsters.	Widowers.	Widows.	Divorced Men.	Divorced Women.
Sydney Suburbs Country Districts	1,827 848 3,609	1,642 766 3,302	1,636 766 3,281	184 82 307	188 81 327	1	3 1
	6,284	5,710	5,683	573	596	I	5

During the year 1881 the number of minors who were married was 1,809, which gives a percentage of 14·39 to the total number of persons married. The percentage of male to female minors who were married is as 8·24 to 91·76. Taking the number of minors married in Sydney, Suburbs, and Country, we find the following percentages:—11·90, 11·20, and 16·46 respectively. There were 134 minors who were unable to sign their names in the Marriage Registers. Of this number 6 were males, and 128 females.

Minors, &c.

Table of Minors, and of Minors and Marks.

Table of Minors.

	No. of	Minors.				
	Marriages.	Males.	Females.	Total.		
Sydney	1,827 848 3,609	44 18 87	3 ⁸ 7 172 1,101	431 190 1,188		
Total	6,284	149	1,660	1,809		

TABLE of Minors and Marks.

	Males.	Females.	Total.
Sydney Suburbs Country Districts	6	15 7 106	15 7 112
Total	6	128	134

Marks.

The total number of persons who did not sign their names at the time of marriage was 872, which gives a percentage of 6.94 to the total number married.

	No. of	Signatures.				Marks		
	Marriages.	Males.	Females.	Total.	Males.	Females.	Total.	per cent.
Sydney	1,827 848 3,609	1,770 816 3,351	1,686 808 3,265	3,456 1,624 6,616	57 32 258	141 40 344	198 •72 602	5.41 4.54 8.34
Total	6,284	5,937	5,759	11,696	347	525	872	6.94

Comparing the year 1881 with 1880, of those who used marks to the total number married we find the following:—

			1881.	+	1880.
Sydney	 	 	 5.41		 6.58
Suburbs		 	 4.24		 4.00
Country	 	 	 8.34		 7.31

BIRTHS.

The total number of births registered in the Colony during the year 1881 was 28,993, consisting of 14,891 males and 14,102 females, or 51.36 and 48.64 per cent. respectively. The birth rate at per 1,000 of estimated population at the middle of the year was as follows:—

The Colon	y	 	 	 	 	37.99
Sydney						
Suburbs						
Country						37:51

The birth rate of the Colony for the year is about the same as the average for the decade, which is 37.98. The rate for the City for the year is 0.44 higher than the average for the decade. In the Suburbs the average rate for the past ten years is 43.34, which is in excess of the year's rate by 1.19. The Country Districts show an average rate for the decade of 37.65, which closely approximates to the rate for the year under review.

(D.)

Table showing the number of Births registered in the Colony of New South Wales during each Quarter of the Years 1872 to 1881.

		Estimated Population at the middle of the year.	31 March.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.
Sydney	[1872 1873 1874 1875 1876 1877 1878 1879 1880 1881	79,745 83,000 86,213 89,796 93,269 97,235 102,056 107,603 113,455 104,966	700 760 762 748 838 818 846 857 870 938	729 755 775 858 865 796 851 943 985 920	727 826 824 797 873 896 956 1,007 960 946	723 724 760 759 734 889 831 907 920 937	2,879 3,065 3,121 3,162 3,310 3,399 3,484 3,714 3,735 3,741	36.09 36.92 36.20 35.21 35.48 34.95 34.13 32.92 35.64
			8,137	8,477	8,812	8,184	33,610	
Suburbs	[1872 1873 1874 1875 1876 1877 1878 1879 1880 1881	6,3160 65,738 68,281 71,119 73,872 77,014 80,833 85,226 89,861 122,687	580 696 637 685 721 719 854 955 1,026 1,178	612 700 713 740 772 821 900 1,009 1,197 1,250	659 710 729 785 832 868 1,014 1,130 1,182	585 657 708 698 733 838 906 1,053 1,214 1,356	2,436 2,763 2,787 2,908 3,058 3,246 3,674 4,147 4,619 5,171	38·56 42·03 40·80 40·89 41·39 42·15 45·45 48·66 51·40 42·15
			8,051	8,714	9,296	8,748	34,809	
Country Districts	1872 1873 1874 1875 1876 1877 1878 1879 1880 1881	384,777 400,479 415,976 433,264 450,025 460,163 492,427 519,190 547,426 535,353	3,687 3,755 3,824 3,893 4,091 4,083 4,262 4,419 4,694 4,860	3,624 3,509 3,903 4,113 4,048 4,220 4,414 4,639 4,934 4,813	3,941 4,202 4,331 4,282 4,505 4,657 5,006 5,127 5,088 5,181	3,683 4,150 4,212 4,170 4,286 4,246 4,488 4,887 5,092 5,227	14,935 15,616 16,270 16,458 16,930 17,206 18,170 19,072 19,808 20,081	38·81 38·99 39·11 37·98 37·62 36·67 36·89 36·73 36·18
			41,568	42,217	46,320	44,441	174,546	
New South Wales	1872 1873 1874 1875 1876 1877 1878 1879 1880 1881	527,682 549,217 570,470 594,179 617,166 643,412 675,316 712,019 750,742 763,006	4,967 5,211 5,223 5,326 5,650 5,620 5,962 6,231 6,590 6,976	4,965 4,964 5,391 5,711 5,685 5,837 6,165 6,591 7,116 6,983	5,327 5,738 5,884 5,864 6,210 6,421 6,976 7,264 7,230 7,514	4,991 5,531 5,680 5,627 5,753 5,973 6,225 6,847 7,226 7,520	20,250 21,444 22,178 22,528 23,298 23,851 25,328 26,933 28,162 28,993	38°37°39°37°55°57°55°57°55°57°57°57°57°57°57°57°57
			57,756	59,408	64,428	61,373	242,965	

Illegitimates.

The number of illegitimate children whose births are recorded during the year 1881 was 1,263, which gives a percentage of 4.35 to total number of births registered. The percentage of illegitimates to the total number of births registered in Sydney, Suburbs, and Country Districts is 11.36, 3.23, and 3.34, respectively. The illegitimate rate for the year is 1.65 per 1,000 of estimated population at the middle of the year.

(E.)

Table showing the number of Children born out of Wedlock in the Colony of New South Wales, from 1st January, 1872, to 31st December, 1881.

	Sydney.			Suburban	•	Co	untry Distri	ets.		Total.		
Year.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.
1872	0.4	88	182	24	32	66	287	281	568	415	401	816
1873	94	101	199	34 42	44	86	293	311	604	433	456	889
1874	117	124	241	40	48	88	305	301	606	462	473	935
1875	132	128	260	41	44	85	321	281	602	494	453	947
1876	170	136	306	43	45	88	309	247	556	522	428	950
1877	161	144	305	34	43	77	315	292	607	510	479	989
1878	165	152	317	54	54	108	317	279	596	536	485	1,021
1879	195	194	389	65	52	117	345	364	709	605	610	1,215
1880	204	207	411	69	81	150	351	314	665	624	602	1,226
1881	203	222	425	84	83	167	353	318	671	640	623	1,263
	1,539	1,496	3,035	506	526	1,032	3,196	2,988	6,184	5,241	5,010	10,251

Twins, &c.

The cases of twin births registered in the year numbered 224; and there were also 4 cases of triplets. The total number of twin births for the decade was 1,996, and of triplets 20.

(F.)

Table showing the number of Triplets and Twins born in the Colony of New South Wales, from 1st January, 1872, to 31st December, 1881.

		Tri	plets.			Tv	vins.	
Year.	No. of Cases.	Males.	Females.	Total.	No. of Cases.	Males.	Females.	Total.
1872	5	7	8	15	179	173	183	3561
1873	I		3	3	189	204	173	377*
1874	4	9	3	12	177	182	171	353
1875	I		3	3	200	180	219	399*
1876	I	I	I	2*	195	188	193	381
1877					209	222	193	415
1878	2	3	I	4†	196	195	197	392
1879	2	I	5	6	203	206	198	404
1880	******				224	230	218	448
1881	4	8	4	12	224	219	227	446
	20	29	28	57	1,996	1,999	1,972	3,971

^{*} One Still-born.

DEATHS.

The total number of deaths recorded in the Colony during the year 1881 was 11,536. Of these 6,753, or 58.54 per cent., were males, and 4,783, or 41.46 per cent., were females. The death rate for the year per 1,000 of population is as follows:—

The Colon	y	 	 	 	 	15.12
Sydney	,	 	 	 	 	21.39
Suburbs						
Country		 	 	 	 	13.42

The average rate of the Colony for the past ten years is 15.51, which is slightly higher than the figures for the year. In Sydney the rate, with but one exception, is lower than for any year in the decade, and 2.10 under the average rate of the decade. The Suburban rate is 17.16, which is 4.03 under that for the City, and 1.98 lower than the average rate of the decade for the Suburbs.

The Country Districts death rate stands at 13.42 for the year. This is lower than the rates for the year of City and Suburbs by 7.97 and 3.74 respectively, but slightly higher than the average of the Country for the decade.

(G.)

[†] Two still-born.

[†] Nine still-born.

[§] Three still-born.

[|] Two still-born.

(G.)

Table showing the number of Deaths registered in the Colony of New South Wales, during each Quarter of the Years 1872 to 1881.

		Estimated Population at the middle of each year.	31 March.	30 June.	30 Sept.	30 Dec.	Total.	Ratio per 1,000 living.
Sydney	1872 1873 1874 1875 1876 1877 1878 1879 1880 1881	79,745 83,000 86,213 89,796 93,269 97,235 102,056 107,603 113,455 104,966	477 468 460 900 758 525 644 624 590 600	398 430 401 560 699 519 584 530 540 520	438 408 492 562 565 419 540 468 680 530	497 494 724 651 469 537 553 644 930 596	1,810 1,800 2,077 2,673 2,491 2,000 2,321 2,266 2,740 2,246	22.69 21.68 24.09 29.76 26.70 20.57 22.74 21.05 24.24 21.39
			6,046	5,181	5,102	6,095	22,424	
Suburbs	1872 1873 1874 1875 1876 1877 1878 1879 1880 1881	63,160 65,738 68,281 71,119 73,872 77,014 80,833 85,226 89,861 122,687	244 213 298 533 516 331 414 405 498 637	184 248 291 332 595 375 481 428 460 502	192 249 262 295 332 258 349 346 465 428	295 287 348 487 332 357 407 469 757 539	915 997 1,199 1,647 1,685 1,321 1,651 1,648 2,180 2,106	14'48 15'16 17'56 23'15 22'81 17'15 20'42 19'33 24'26 17'16
			4,089	3,806	3,176	4,278	15,349	
Country Districts	1872 1873 1874 1875 1876 1877 1878 1879 1880 1881	384,777 400,479 415,976 433 264 450,025 469,163 492,427 519,190 547,426 535,353	1,418 1,326 1,350 1,749 1,738 1,987 1,895 1,828 1,589 1,932	1,134 1,180 1,409 1,879 1,954 1,765 1,953 1,605 1,621 1,803	1,110 1,169 1,309 1,452 1,739 1,450 1,447 1,418 1,426 1,650	1,081 1,139 1,308 1,371 1,586 1,346 1,496 1,435 1,675 1,799	4,743 4,814 5,376 6,451 7,017 6,548 6,791 6,286 6,311 7,184	12'32 12'02 12'92 14'89 15'59 13'95 13'77 12'10 11'51 13'42
			16,812	16,303	14,170	14,236	61,521	
New South Wales	1872 1873 1874 1875 1876 1877 1878 1879 1880 1881	527,682 549,217 570,470 594,179 617,166 643,412 675,316 712,019 750,742 763,006	2,139 2,007 2,108 3,182 3,012 2,843 2,953 2,857 2,677 3,169	1,716 1,858 2,101 2,771 3,158 2,659 3,018 2,563 2,621 2,825	1,740 1,826 2,063 2,309 2,636 2,127 2,336 2,232 2,571 2,608	1,873 1,920 2,380 2,509 2,387 2,240 2,456 2,548 3,362 2,934	7,468 7,611 8,652 10,771 11,193 9,869 10,763 10,200 11,231 11,536	14'15 13'85 15'16 18'12 18'13 15'34 15'94 14'32 14'96
			26,947	25,290	22,448	24,609	99,294	

INFANTILE MORTALITY.

The deaths of 4,889 children, under the age of 5 years, were recorded during the year 1881. These deaths formed 42.38 per cent. of total deaths. The percentage of infantile mortality to the total deaths of the Colony for the decade is 42.84, which is 0.46 in excess of the rate for the year. Under the following divisions we find the percentage of infant deaths to be as follows:—

The Colon	ıy	 	 	 	 	43.38
Sydney		 	 	 	 	37.75
Suburbs		 	 	 	 	54.46
Country		 	 	 	 	40.28

The average infantile death rate for the decade for Sydney is 42.74, which is 4.99 higher than that of the year. In the Country the year's rate is slightly higher than that of the average for the decade.

(H.) INFANTILE MORTALITY.

			Percentage of total		Sydne	y.		Suburb	os.	C	ountry Di	stricts.
Year.	Total Deaths of the year.	Total Deaths under 5 years.	Deaths under 5 years to Deaths of the year.	Total Deaths of year.	Deaths under 5 years.	Percentage of Deaths under 5 years to total Deaths.	Total Deaths of year.	Deaths under 5 years.	Percentage of Deaths under 5 years to total Deaths.	Total Deaths of year.	Deaths under 5 years.	Percentage of Deaths under 5 years to total Deaths
		Y							- 1.05	4 549	1,885	39.74
. 1872	7,468	3,203	42.91	1,810	815	45.02	915	503	54.97	4,743		
1873	7,611	2,924	38.42	1,800	719	39.94	997	510	51.15	4,814	1,695	35.62
1874	8,652	3,768	43.55	2,077	929	44.72	1,199	672	56.04	5,376	2,167	40.31
1875	10,771	4,958	46.03	2,673	1,264	47.29	1,647	913	55.43	6,451	2,781	43.10
1876	11,193	4,670	41.72	2,491	1,024	41.10	1,685	917	54.42	7,017	2,729	38.89
1877	9,869	4,293	43.49	2,000	815	40:75	1,321	723	54.73	6,548	2,755	42.07
1878	10,763	4,884	45.37	2,321	1,022	44.00	1,651	920	55.72	6,791	2,942	43.32
1879	10,200	4,369	42.83	2,266	899	39.67	1,648	902	54.73	6,286	2,568	40.85
1880	11,231	4,910	43.71	2,740	1,293	47.19	2,180	1,276	58.53	6,311	2,341	- 37.09
1881	11,536	4,889	42:38	2,246	848	37.75	2,106	1,147	54.46	7,184	2,894	40.28
	99,294	42,868		22,424	9,628		15,390	8,483		61,521	24,757	
Mean of 10 years		4,286		2,242	962		1,539	848		6,152	2,475	

The following figures show the proportion of infant deaths at each year, as compared with the total number of deaths registered in the Colony:—

Under 1 year	 	 	 	 28:96
From 1 to 2 years	 	 	 	 8.47
" 2 to 3 "				
" 3 to 4 "	 	 	 	 1.57
" 4 to 5 "	 	 	 	 0.90

The proportion which deaths of infants at each year bear to the total number of deaths registered in Sydney, Suburbs, and Country Districts is now given:—

			Sydney.	Suburbs.	Country.
Under 1 year	 	 	 27.07	39.69	26.39
From 1 to 2 years	 	 	 7.26	10.39	8.14
" 2 to 3 "	 	 	 1.33	2.37	2.86
" 3 to 4 "	 	 	 0.84	1.42	1.83
" 4 to 5 "	 	 	 0.80	0.57	1.03

Table showing the Deaths of all Ages from 1 to 100 years, in Sydney, Suburbs, and the Country Districts, for the year ended 31st December, 1881.

	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 to 80 years.	80 to 85 years.	85 to 90 years.	90 to 95 years.	95 to 100 years.	100 years and upwards.	Age unspecified.	Grand Total.
Males— Sydney	340	70	24	10	- 11	19	15	26	61	73	66	95	81	82	85	57	43	32	29	19	8	2	1	- 17:	1	13	1263
Suburbs	444	111	16	14	6	19	6	18	20	32	33	42	49	54	48	31	43	27	36	15	- 7	7	1			7	1086
Country Districts	1012	309	111	66	36	97	70	85	143	140	159	189	224	230	219	146	271	220	226	168	145	70	17	1	4	46	4404
Total	1796	490	151	90	53	135	91	129	224	245	258	326	354	366	352	234	357	279	291	202	160	79	19	1	5	66	6753
Females— Sydney	268	93	16	9	7	19	11	25	49	57	38	47	53	46	42	24	50	48	25	30	12	6	2	1		5	983
Suburbs	392	108	34	16	6	21	18	23	41	31	25	47	35	37	36	25	29	27	25	15	17	, 5	5			2	1020
Country Districts	885	276	95	66	38	84	73	89	101	106	89	128	77	98	75	79	107	73	96	61	38	20	8	4	3	11	2780
Total	1545	477	145	91	51	124	102	137	191	194	152	222	165	181	153	128	186	148	146	106	67	31	15	5	3	18	4783

The death rate per 1,000 of each Ward of the City, calculated on the Census of 1881, is as follows (deaths in Hospitals and Asylums being excluded):—

Gipps Ward							17.02
Bourke "					 	 	 16.22
D : 1							
Macquarie Wa	rd		,		 	 	 17.69
Cook ",		= 1			 	 	 16.09
Fitzroy "				y.1	 	 	 21.79
Phillip "					 	 	 15.98
Denison "					 	 	 18.50

Table showing the births and deaths of males and females registered in each Ward of the City of Sydney, from the 1st January to the 31st December, 1881, distinguishing the deaths under 5 years of age.

Wards.	Population Census 1881.		Births.		J	Inder 5 years	S	A	bove 5 years	3.	Total Deaths.
	Males.		Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	
α:				1 -1-1							
I. Gipps	10,983	194	179	373	41	43	84	69	44	113	197
2. Bourke	5,300	46	49	95	II	13	24	305	183	488	†512
3. Brisbane	7,219	92	98	190	29	30	59	43	29	72	131
4. Macquarie	8,083	126	129	255	43	24	67	41	35	76	143
5. Cook	25,537	530	486	1,016	106	97	203	109	99	208	411
6. Fitzroy	15,880	253	246	499	61	41	102	137	88	225	‡327
7. Phillip	11,075	298	328	626	76	71	147	34	52	86	§233
8. Denison	15,780	356	331	687	88	74	162	70	60	130	292
Totals	*99,857	1,895	1,846	3,741	455	393	848	808	590	1,398	2,246

* Exclusive of the Islands in Port Jackson and shipping. † 375 of these deaths occurred in the Sydney Hospital, and 51 in the Hyde Park Asylum. ‡ St. Vincent's Hospital, 52 deaths; Darlingurst Gaol, 26; and Lunatic Reception House, 3. § Benevolent Asylum, 56.

	Population, Census, 1881.	Births.	Deaths under 5 years.	Deaths.
ı. Sydney	103,379	3,741	848	2,246
Balmain	16,929	807	185	294
Glebe	10,856	516	114	197
. Newtown	15,745	695	168	287
. Redfern)	610	155	270
. Waterloo	23,638	536	115	210
. Paddington		505	102	210
Randwick		26	4	17
Waverley	20,220	79	24	37
Woollahra	}	107	15	44
. Canterbury)	(443	130	235
Petersham	} 22,434	447	72	138
St. Leonards)	(372	57	138
	} 11,010	28	6	29
Manly				

L	_	
Г	77.	
h	2	
ь,	\sim	

																		Per	ncentag	ge of—																	
Ward.		Death	s und	er 5 ye	ars to	total D	eaths	in each	Ward			Dea	th und	der 5 y	ears t	o Birtl	ns in e	ach Wa	ırds.			Т	'otal De	aths to	Births	in eac	h Ward	1.			Total 1	Deaths (Cer		opulati 1861 a			ard
	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1872	. 1873	. 1874	. 1875	. 1876	. 1876	. 1877.	1878.	1880.	1881.	1872.	1873.	1874. 18	875. 18	876. 187	7. 1878	8. 1879	. 1880.	1881.	1872.	1873.	874. 18	75. 18	76. 187	7. 1878	1879.	1880. 188
1. Gipps	48.48	15.39	52.34	56.13	42.13	51:40	43.30	38.17	57.72	42.64	22.47	20.96	29.71	37.37	23.04	22.66	24.25	16.94	36.60	22.52	16.34 4	6.17 5	6.76 66	58 54	68 44.0	9 56.00	44.39	63.40	52.82	1.84	1.81	2.38 2	82 2	41 24	00 2:50	2.07	2.74 1.
2. Bourke																																					
. Brisbane																																					
. Macquarie																																					
. Cook																																					
. Fitzroy																1 1 2 1 2 1 2			and the second													2				the same of the little	The second second
. Phillip			1 1 1 3 1 3 1 1																The Court of the C																		
B. Denison																																					

^{*} The Infirmary is situated in Bourke Ward.

(J.)

		1											- /						I	Percent	tage of	_																		
	Ward.		Death	s unde	r 5 year	rs to to	otal Dea	aths in	each I	District			Deatl	ns und	er 5 ye	ears to	Birth	s in ea	ch Dis	trict.			Т	otal D	eaths	to Birt	hs in o	each D	istrict	5.		Г	Total 1	Deaths (C	s to Pe	opulat , 1871	ion in and 18	each I 381.)	District	
		1872.	1873	. 1874	. 1875.	. 1876.	1877.	1878.	1879.	1880.	1881.	1872.	1873	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1872.	1873.	1874. 1	.875. 1	876.	877. 18	78. 187	9. 1880.	1881.
1	I. Sydney	45.02	39.94	44.72	2 47.29	41.10	40.70	44.00	39.67	47.19	37.75	28:30	23.49	29.76	39.97	30.93	23.24	29.33	24.20	34.62	22.67	62.86	58.72	66.55	84.53	75.25	58.84	66.62	61.01	73.09	60.04	2:37	2.36	2.72	3.20	3.27 2	.62 3.	05 2.9	7 3.59	2.17
2	2. Balmain	. 61.54	57:62	64.62	61.43	63:05	52.94	64.35	55.03	62.41	62.92	22.00	18.88	25.06	33.24	34.13	18.24	27.04	17.63	24.52	22.92	35.73	32.77	38.78	54.12	54.13	34.45	42.02	32.03	39.00	36.43	1.52	1.71	2.13	3.05 2	2.94 2	.22 3.	14 2.7	4 3.83	1.74
	3. Glebe		1 / 2					1																										A 100 100						
	. Newtown																																		A					A CARLO
	. Redfern					The state of the																													74					2.0
	. Waterloo		1						(132	7.00				:60 2:	95 3.1	2 3.67)
7	. Paddington	52.72	44.56	51.04	54.06	54.64	52.90	55.56	54.14	56.80	48.57	24.54	16.14	26.07	32.33	33.48							36.14	51.07	59.87	66.06							1.31	1.98	3	1			1	
*	Randwick)						1.													30.00										53.33		1					1.69 2	19 2.1	15 3.35	1.55
	Waverley	18.18	40.00	33.33	32.26	20.68	36.84	43.48	53.25	56.86	43.87	18.18	13.33	17.64	37.03	13.04	18.18	22.95	18.56	30.36	30.38		33.33	53.00		63.04	49.35	47.54	41.42	56.82	46.83			1.04	1.79	1.68				
	Woollahra)				1											1																						6		
1	. Concord		1	177 10 10														1																	ME LINE				The Cook	- 1.6
1	. St. George		1-1														1																	187.5	4			32 2.1	12 3.31)
10	. St. Leonards	32.72	48.33	44.94	35.90	50.00	10000	15-00		26 6	12.2	9.27	14.35	19.51	13.40	25-20		1000		13/23-03		28.35	30.00	43.41	37.32	50.41				16-18	37.09	1.07	1.16	1.73	1.52	2.38	1.52	2.28 2.	12 2.82	1:5
	Manly					1	1	40.00	56.25	32.00	20.69							10.81	32.14	21.62	21.43							27.03	57.14	67.59						1)			

^{*} Waterloo was not created a separate Registry District till January, 1872; Randwick a Sub-district of Paddington in September, 1872; and Waverley, Sub-district of Paddington, 1st August, 1876; Woollahra, a Sub-district of Paddington, 1st August, 1878; Manly, a Sub-district of St. Leonards, 1st July. † By Census of 1881, Concord was included in the Electoral District of Canterbury; and St. George in that of Petersham.

The percentage of deaths registered under the *Zymotic Class* of complaints amounted in the year to 18.75 of total deaths. The chief part being comprised in the *Miasmatic Order*, with a percentage of 16.08. Under this order is included the deaths of 17 persons from *Small-pox*; there were actually 37 deaths from this disease during the year. Twenty of these were not registered until the year 1882, and therefore do not appear among the registered deaths of the year under review. The average percentage of deaths under the *Zymotic Class* for the decade is 22.79, so that the figures for the year are lower by 4.04 per cent. Deaths under the *Constitutional Class* comprised 13.81 per cent. of total deaths for the year. This percentage is higher by 1.17 than the average for the decade.

Diseases which proved fatal under the *Local Class* formed 41·11 per cent. of total deaths. The greater part under this class being composed of deaths from Apoplexy, Paralysis, Bronchitis, Pneumonia, Pleurisy, Enteritis, &c. The deaths under this class were higher by 2·27 per cent. than the average for the past ten years.

Under the *Developmental Class* we find 17.94 per cent. of total deaths. The principal causes being Cyanosis, Debility, Teething, Old Age, Atrophy, &c. The average percentage of these deaths for the decade is 17.36, so that these figures are in excess of those for the year by 0.58 per cent.

Deaths from Violence during the year form 7.84 per cent. of total deaths. The principal causes being Suicide, Poison, Drowning, Burns, &c. The average percentage of this class for the decade is 17.55.

(K.)

		(IX.)								
CLASS I.—ZYMOTIC DISEASES.	1872. Per- centage.	Per- centage.	1874. Per- centage.	1875. Per- centage.	1876. Per- centage.	1877. Per- centage.	1878. Per- centage.	1879. Per- centage.	1880, Per- centage.	1881. Per- centag
Order 1.—Miasmatic Diseases—Small-pox, Scarla- tina, Measles, Diphtheria, Dysentery,										
Fevers, &c. 2.—Enthetic Diseases—Syphilis, Gonorrhæa,	10,00	15.2	20.00	27'12	26.36	19.85	22.66	18.37	17.09	16.08
&c	0.36	0.46	0.34	0.53	0.44	0.56	0'21	0,31	0.36	0.50
Delirium Tremens, &c	1,50 0,50	1.20 0.58	1,20	0.39	2'3I 0'42	2.27 0.29	2°28 0°46	1.23 0.45	0.39	0.42
CLASS II.—CONSTITUTIONAL.	21.03	17.85	22.38	29.46	29.23	23.27	25.61	20.63	19.39	18.7
Order 1.—Diathetic Diseases — Gout, Dropsy, Cancer, &c	4.09	4.27	3.69	3'24	3.28	3.78	3.39	3.38	3'79	3.8
2.—Tubercular Diseases—Scrofula, Phthisis, Hydrocephalus, &c	9.2	8.78	8.74	8.22	7 83	8.67	8.41	9.99	9.26	9.9
	13.61	13.05	12.43	11.46	11.41	12.45	11.80	13.37	13.02	13.8
CLASS III.—LOCAL. Order 1.—Nervous—Apoplexy, Paralysis, Insanity, Convulsions, Cephalitis, Brain Disease,	F - 17	7					7	3 100		
&c	15.33	15.20	14.62	12.13	11.22	12.62	13.56	13.23	13.34	13.3
Heart Disease, &c	2.01	5.99	5.73	4.61	4.79	4.84	4.99	5'92	5'34	4'9
Asthma, Pleurisy, &c	9.35	10.84	11,34	10,13	10,00	10.87	10.03	10.53	13.79	13.1
nitis, Hernia, &c	6.81	7.12	6.31	6.64	6.36	7.27	7.07	7.35	6.24	2.1
&c	1,45	1.60	1.68	1.62	1.80	1.02	1.43	2.32	1.87	2'0
Diseases, &c. 7.—Joints—Arthritis, Ostitis, Periostitis, &c.	0.12	0.14	0.11	0,18	0.18	0.01	0.10	0.19	0,13	0,1 0,1
8.—Integumentary—Phlegmon, Ulcer, Skin Diseases, &c	0.53	0.06	0.13	0 10	0.50	0.19	0,15	0,10	0.18	0.1
CLASS IV.—DEVELOPMENTAL.	38.44	41.26	40.09	35.62	35.51	37.87	37.37	39.81	41.32	41.1
Order 1.—Children—Cyanosis, Spina-Bifida, Teething, &c. 2.—Adults—Paramenia, Childbirth, &c. 3.—Old People—Old Age, &c		4°32 0°74 6°42	4.36 1.00 2.13	4.68 0.98 4.96	4 ² 3 1 ² 6 5 ⁴ 5	6.58 1.03 5.08	5.63 0.80 5.63	4·89 0·72 6·46	4.40 0.97 6.24	4°2 0°8 6°5
4.—Nutrition—Atrophy, Debility	5.54	7.06	6.57	5 57	4.98	5.21	5 03	5.60	6.00	6.5
CLASS V.—VIOLENCE.	17:34	18.24	16.76	16.19	15.92	17.90	17.36	17.67	17.61	17.9
Order 1.—Accident or Negligence — Fractures, Contusions, Burns, Drowning,			(0)				60-		6.0.	
Suffocation, Wounds, &c	7.91	7.82	6.84	6.02	6.34	6.72	6 83	7.41	6.87	6.6
3.—Homicide—Murder and Manslaughter 4.—Suicide—Poison, Drowning, Hanging,&c.	0.27	0.46	0.65	0.12	0.42	0.91	0.51	0.16	0.60	0.7
5.—Execution—Hanging	0.07	0.02	0.03	0.03	0.03	0.01	0.01	0,01	0.03	0.0
Unclassified—Violent Deaths				0.02					0.13	0'2
	8.80	8.57	7.80	6.74	7.03	7.55	7.28	8.03	7.91	7.8
Unspecified	0 78	0.43	0.24	0 59	0.00	0.96	0.28	0.49	0.67	0'

(L.)

Period.	No. of Deaths.	Mean	Mean Height	Ra	in.	Mean amount
1 021001	Tvo. or Deaths.	Temperature.	Barometer.	Depth.	Days.	of Ozone.
				inches.		
January	233	71.8	29.968	2.67	14	5.9
February	183	70.9	30.021	6.66	16	6.1
March	188	69.6	30.079	4.01	15	5.9
April	172	64.4	30.130	4.49	13	6.3
May	175	58.5	30.092	6.45	14	6.3
June	172	54.0	30.117	5.15	11	6.1
July	168	52.2	30.178	4.58	13	6.6
August	179	55.4	30.123	2.93	10	6.8
September	163	58.8	30.044	4.67	14	7.0
October	182	63.0	30.026	3.79	14	6.8
November	195	66.8	29.930	3.41	13	6.6
December	233	70.3	29.918	2.00	11	6.0
Mean of 12 months	187	62.9	30.052	4.23	13	6.3

The above Table shows the mean number of deaths registered in Sydney for the past ten years. Also the mean temperature, rainfall, &c., for the same period.

I have the honor to be, Sir,
Your obedient servant,
EDWD. GRANT WARD,
Registrar-General.

INDEX TO TABLES.

Deaths								
Quarterly Abstract (1881)								
Quarterly Abstract (1881)	D:-41-	,						
Children out of Wedlock								
Children out of Wedlock Triplets and Twins In the Colony In each District In each Suburban District At Sea, Registered in the Colony In each Suburban District At Sea, Registered in the Colony In each Ward of the City In each Suburban District At Sea, Registered in the Colony In each Ward of the City In each District In each Suburban District In each Suburban District In each Suburban District In each Suburban District Infants (1872 to 1881) In Males, at Ages, New South Wales, with Diseases and Ages In City of Sydney In Each Suburban Districts In Each Suburban District Each Suburban Districts In Each Suburban District	Quarterly Abstract (1881)			•••				 4
Triplets and Twins In the Colony In each District In each Ward of the City, in proportion to Deaths, &c. In each Suburban District At Sea, Registered in the Colony In each Ward of the City In the Colony In each District In each Ward of the City, in proportion to Births, &c. In each Suburban District In each Ward of the City, in proportion to Births, &c. In each Suburban District In each Suburban District In each Suburban District In each Suburban Districts In each Ward of the City of Sydney, In each Ward of the City of Sydney In each Cuntry Districts, In each Ward of the City of Sydney In each Ward of the City In each District In each Ward of the City In each District In each Wart of the City In each District In each Wart of the City In each District of Sydney In each District In each Wart of the City In each District of Sydney In each Di								 7
In the Colony	Children out of Wedlock					3		 8
In each District	Triplets and Twins							 8
In each Ward of the City, in proportion to Deaths, &c.	In the Colony							 16
In each Suburban District 12	In each District							 16
At Sea, Registered in the Colony In each Ward of the City Deaths— Quarterly Abstract (1881)	In each Ward of the City, in proport	tion to	Deaths	s, &c.				 12
Deaths	In each Suburban District							 12
Deaths— Quarterly Abstract (181) 4 " (1872 to 1881) 9 In the Colony 16 In each District 16 In each Suburban District 12 In each Suburban District 12 Infants (1872 to 1881) 10 Males, at Ages, New South Wales, with Diseases and Ages 19 " (City of Sydney, " , " , 28 " Suburban Districts, " , " , 46 Females , New South Wales, " , " , 22 " (City of Sydney , " , " , 30 " (City of Sydney , " , " , 22 " (City of Sydney , " , " , 30 " (Country Districts, " , " , 46 Females , New South Wales, " , " , 22 " (City of Sydney , " , " , 349 Both Sexes , New South Wales, " , " , 49 Both Sexes , New South Wales, " , " , 49 Both Sexes , New South Wales, " , " , 49 " (City of Sydney , " , " , 349 " (City of Sydney , " , " , 349 " (City of Sydney , " , " , 349 " (City of Sydney , " , " , 349 " (City of Sydney , " , " , 349 " (City of Sydney , " , " , 340 " (City of Sydney , " , " , 340 " (City of Sydney ,	At Sea, Registered in the Colony							 59
Quarterly Abstract (1881) 4 " (1872 to 1881) 9 In the Colony 16 In each District 16 In each Ward of the City, in proportion to Births, &c. 12 In each Suburban District 12 Infants (1872 to 1881) 10 Males, at Ages, New South Wales, with Diseases and Ages 19 " (City of Sydney, " " " 28 " Suburban Districts, " " 46 Females "New South Wales, " " 22 " (City of Sydney " " " 31 " (City of Sydney " " 31 " (Country Districts, " " 49 Both Sexes "New South Wales, " " 49 Both Sexes "New South Wales, " " 49 Both Sexes " New South Wales, " " 49 " (City of Sydney, " " 49 "	In each Ward of the City							 11
Quarterly Abstract (1881) 4 " (1872 to 1881) 9 In the Colony 16 In each District 16 In each Ward of the City, in proportion to Births, &c. 12 In each Suburban District 12 Infants (1872 to 1881) 10 Males, at Ages, New South Wales, with Diseases and Ages 19 " (City of Sydney, " " " 28 " Suburban Districts, " " 46 Females "New South Wales, " " 22 " (City of Sydney " " " 31 " (City of Sydney " " 31 " (Country Districts, " " 49 Both Sexes "New South Wales, " " 49 Both Sexes "New South Wales, " " 49 Both Sexes " New South Wales, " " 49 " (City of Sydney, " " 49 "								
Quarterly Abstract (1881) 4 " (1872 to 1881) 9 In the Colony 16 In each District 16 In each Ward of the City, in proportion to Births, &c. 12 In each Suburban District 12 Infants (1872 to 1881) 10 Males, at Ages, New South Wales, with Diseases and Ages 19 " (City of Sydney, " " " 28 " Suburban Districts, " " 46 Females "New South Wales, " " 22 " (City of Sydney " " " 31 " (City of Sydney " " 31 " (Country Districts, " " 49 Both Sexes "New South Wales, " " 49 Both Sexes "New South Wales, " " 49 Both Sexes " New South Wales, " " 49 " (City of Sydney, " " 49 "	Deaths-							
In the Colony								1
In the Colony In each District In each District In each Ward of the City, in proportion to Births, &c. In each Suburban District In each Suburban District Infants (1872 to 1881) Males, at Ages, New South Wales, with Diseases and Ages Ingastropy Ingastr	(4040 4004)						***	
In each District								
In each Ward of the City, in proportion to Births, &c.								
In each Suburban District 12 Infants (1872 to 1881) 10 Males, at Ages, New South Wales, with Diseases and Ages 19 """"""""""""""""""""""""""""""""""""					· · · ·			
Infants (1872 to 1881) 10 Males, at Ages, New South Wales, with Diseases and Ages 19 """">"""""""""""""""""""""""""""""""								
Males, at Ages, New South Wales, with Diseases and Ages 19 """">"""""""""""""""""""""""""""""""							•••	
""" City of Sydney """ 28 """ Suburban Districts """ 37 """ Country Districts """ 46 Females New South Wales """ 22 """ City of Sydney """ 40 """ Country Districts """ 49 Both Sexes New South Wales """ 25 """ City of Sydney """ 34 """ Suburban Districts """ 43 """ Country Districts """ 43 """ Country Districts """ 52 From each cause, in the City of Sydney 56 52 Morthly Mortality """ 55 At Sea, registered in the Colony 59 Mortality, Temperature, &c. 14 Diseases classified (1872, 1873, 1874, 1875, 1876, 1877, 1878, 1879, 1880, and 1881, compared) """ In each Ward of the City """ Deaths from all Ages (from 1 to 100 years) """ Marriages— """ Quarterly Abstract (1881) """ <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td>•••</td><td></td></td<>							•••	
""" Suburban Districts, """ 46 Females New South Wales, """ 22 """ City of Sydney """ 31 """ Suburban Districts, """ 40 """ Suburban Districts, """ 49 Both Sexes New South Wales, """ 25 """ City of Sydney, """ 34 """ Suburban Districts, """ 34 """ Country Districts, """ 43 """ Country Districts, """ 56 Monthly Mortality """ 55 At Sea, registered in the City of Sydney 56 Mortality, Temperature, &c. """ 14 Diseases classified (1872, 1873, 1874, 1875, 1876, 1877, 1878, 1879, 1880, and 1881, compared) """ 13 In each Ward of the City """ 11 Deaths from all Ages (from 1 to 100 years) """ 4 """ (1872 to 1881) """ 4 """ (1872 to 1881) """ 59 Marriages """ """		1th Dis	eases a	and Age	S			
## Gountry Districts, ## ## ## ## ## ## ## ## ## ## ## ## ##		22	,	"				
Females "New South Wales, """ 22 """ "City of Sydney """ 31 """ Suburban Districts, """ 40 """ Country Districts, """ 49 Both Sexes "" New South Wales, """ 25 """ City of Sydney, """ 34 """ Suburban Districts, """ 43 """ Country Districts, """ 52 From each cause, in the City of Sydney "" 56 Monthly Mortality "" 55 At Sea, registered in the Colony "" 59 Mortality, Temperature, &c. "" 14 Diseases classified (1872, 1873, 1874, 1875, 1876, 1877, 1878, 1879, 1880, and 1881, compared) "" 13 In each Ward of the City "" 11 Deaths from all Ages (from 1 to 100 years) "" 10 Marriages— Quarterly Abstract (1881) "" 4 "" (1872 to 1881) "" 18 "" (1872 to 1881) "" 18 "" (1872 to 1881) "" 5 Registration Districts and District Registrars "" 59		, ,,		"	,	• • • • • • • • • • • • • • • • • • • •		
## City of Sydney ## ## ## ## ## ## ## ## ## ## ## ## ##		, ,	,	,,			• • • •	
""" Suburban Districts, """ 40 """ Country Districts, """ 49 Both Sexes "" New South Wales, """ 25 """ City of Sydney, """ 34 """ Suburban Districts, """ 43 """ Country Districts, """ 52 From each cause, in the City of Sydney 56 56 Monthly Mortality """ 55 At Sea, registered in the Colony 59 59 Mortality, Temperature, &c. """ 14 Diseases classified (1872, 1873, 1874, 1875, 1876, 1877, 1878, 1879, 1880, and 1881, compared) """ 13 In each Ward of the City """ """ 10 Marriages— Quarterly Abstract (1881) 4 4 """ (1872 to 1881) """ 5 In each District """ 16 Denominations (1881) """ 18 """ (1872 to 1881) """ 5 Registration Districts and District Registrars 59		"	,	"				
## Country Districts, ## ## ## ## ## ## ## ## ## ## ## ## ##		,;	,	"				
Both Sexes , New South Wales , , , ,		,,,	-	"				
## City of Sydney, ## ## ## ## ## ## ## ## ## ## ## ## ##		33	, –	"				
" Suburban Districts, " " " " " " " " " " " " " " " " " " "		22	,	"				
## Gountry Districts, ## ## ## ## ## ## ## ## ## ## ## ## ##			,	"				
From each cause, in the City of Sydney			,	"				
Monthly Mortality				"				
At Sea, registered in the Colony								
Mortality, Temperature, &c	Monthly Mortality			***				
Diseases classified (1872, 1873, 1874, 1875, 1876, 1877, 1878, 1879, 1880, and 1881, compared) 13 In each Ward of the City <	At Sea, registered in the Colony							
compared)	Mortality, Temperature, &c							14
In each Ward of the City	Diseases classified (1872, 1873, 1874	, 1875,	1876,	1877, 18	378, 18	79, 188), and]	19
Deaths from all Ages (from 1 to 100 years)	compared)							
Marriages— 4 Quarterly Abstract (1881) 4 , (1872 to 1881) 5 In the Colony 16 In each District 16 Denominations (1881) 18 , (1872 to 1881) 5 Registration Districts and District Registrars 59	In each Ward of the City			- 117				
Quarterly Abstract (1881) <t< td=""><td>Deaths from all Ages (from 1 to 100</td><td>years)</td><td></td><td></td><td></td><td></td><td></td><td> 10</td></t<>	Deaths from all Ages (from 1 to 100	years)						 10
Quarterly Abstract (1881) <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>								
Quarterly Abstract (1881) <t< td=""><td>Marriages-</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	Marriages-							
""" (1872 to 1881) """ """ """ """ """ """ """ """ """ ""								 4
In the Colony							.,.	 5
In each District <td>In the Colony</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td> 16</td>	In the Colony							 16
Denominations (1881)	In each District			,				 16
,, (1872 to 1881)	Denominations (1881)							 18
Registration Districts and District Registrars 59	(1879 to 1881)							 5
Temperature, Height of Barometer, Rain, &c., (1872 to 1881) 14	Parietration Districts and District R	legistra						59
Temperature, Height of Batometer, Lam, 42, (2122)	Temporature Height of Barometer	Rain. &	&c., (18	872 to 18	881)			14
	Temperature, Height of Barometer,	, ,	, (

APPENDIX.

A.

Table showing the number of Marriages, Births, and Deaths registered in the Colony of New South Wales during the Year ended 31st December, 1881.

	Manniana		Births.			Deaths.	
	Marriages.	Males.	Females.	Total.	Males.	Females.	Total.
Sydney Suburban Districts.		1,895 2,702	1,846 2,469	3,741 5,171	1,263 1,086	98 3 1,020	2,246 2,106
Metropolitan Country Districts		4,597 10,294	4,315 9,787	8,912 20,081	2,349 4,404	2,003 2,780	4,352 7,184
	6,284	14,891	14,102	28,993	6,753	4,783	11,536

B.

TABLE showing the number of MARRIAGES, BIRTHS, and DEATHS registered in each District of the Colony of New South Wales during the Year ended 31st December, 1881.

			То	tal.		Births					
District.	Popula- tion, Census, 1881.	Mar- riages.	Births.	Deaths.		iding te Births.	Illegit Bir	timate	Dea	ths.	Exces of Birt over Death
					М.	F.	М.	F.	М.	F.	
I.—North-eastern.											
1. Richmond River	1 0000	(11	130	16	66	64		2	10	6	11
Lismore	9,266	64	251	- 48	135	116	3	1	32	16	2
2. Tweed River	5	7	23	11	11	12			4	7	
3. Grafton	(=====	66	331	83	176	155	5	2	53	30	2
Maclean	7,744) 23	156	35	87	69	2	1	16	19	1
Ulmarra)	(3	88	19	50	38	1	1	10	9	
4. Macleay River)	(36	194	48	115	79	i		27	21	1
Bellinger River	7,123	3	33	9	13	20			6	3	-
Nambuccra River)	(4	23	1	11	12	2			1	
5. Port Macquarie)	(16	70	15	34	36		2	10	5	
3. Manning River	(0000	53	256	49	126	130	3	2	32	17	2
Barrington	9,309	3	45	22	28	17			12	10	-
. Port Stephens)	(13	96	29	57	39	2		19	10	
B. Dungog)	(24	93	24	36	57	1	3	10	14	
Clarence Town	5,945	1	37	10	18	19	2		4	6	
D. Paterson)	(7	100	21	48	52	1	3		6	
. Raymond Terrace	5,643	14	105	25	46	59	1		15		
2. Maitland (East)	4,103	23	78	28	38	40	2	1	16	9	
Maitland (West)	5,703	94	288	158				1	17	11	
Upper Hunter	1	1 8	55	11	148	140	10	6	92	66	1
Greta	}	{ 7	115	25	23	32	2		6	5	
. Morpeth	4.944	21	146	41	52	63	2	2	10	15	
Patrick's Plains	7,021	38	246	75	75	71	1	2	21	20	1
. Muswellbrook	7,021	(17	110	37	131	115	3	1	46	29	1
Denman	1	4	31	8	49	61	2	2	15	22	
S. Scone	> 11,321	3 7	110	31	15	16	1	2	6	2	
. Murrurundi)	(22	109	42	50 57	60 52	1	1	15 18	$\begin{array}{c} 16 \\ 24 \end{array}$	
		589	3,319	921	1,695	1,624	49	35	522	399	2,3
II.—North Midland.			-								
. Tenterfield	4,855	24	157	36	82	75	2	4	22	14	1
. Wellingrove	} 6,900	5 31	137	45	64	73	2	1	30	15	
Vegetable Creek)	15	104	39	53	51	3	1	27	12	
. Inverell	7,186	50	265	76	146	119	10	5	44	32	1
. Armidale)	(91	336	108	151	185	6	4	75	33	2
Walcha	15,222) 24	167	66	80	87	2	- 5	41	25	1
Uralla	(10,222) 10	143	40	81	62	3	3	26	14	1
Bundarra)	(10	35	11	16	19			8	3	
		255	1,344	421	673	671	28	23	273	148	9
III.—NORTH-WESTERN.			-		-						-
			101	7.00	600				7-1		
. Tamworth	13,238	(77	461	169	236	225	17	4	96	73	2
. Nundle	13,238	3 53	240	100	121	119	7	11	45	55	1
)	(1	66	18	35	31	1	1	11	7	
. Warialda Moree	} 5,490	{ 31	180	39	97	83	6	1	21	18	1
. Cassilis	}	13	46	15	24	22	1	1	13	2	
	3,004	5 7	77	30	39	38		2	23	7	
)	75	387	142	193	194	5	2	93	49	2
Carried forward		257	1,457	513	745	712	37	22	302	211	9

B.—continued.

			Tot	tal.		Births			1.,		
District,	Popula- tion, Census,	Mar- riages.			Inclu			timate	Dea	iths.	Excess of Births over
	1881.		Births.	Deaths.	М.	F.	М.	F.	М.	F.	Deaths.
III.—North-western—contd. Brought forward	$ \begin{array}{c} \dots \\ 2,219 \\ 6,877 \\ 7,759 \\ 3,490 \end{array} $	257 25 18 32 38 5 18 17 20	1,457 113 101 282 188 51 115 89 137	513 37 27 75 57 24 34 49	745 52 45 149 106 24 59 37 66	712 61 56 133 82 27 56 52 71	37 3 2 4 4 1 1 5	22 4 1 1 5 2 3 1	302 19 16 41 40 15 17 39 38	211 18 11 34 17 9 17 10 13	944 76 74 207 131 27 81 40 86
Total		430	2,533	867	1,283	1,250	57	39	527	340	1,666
IV.—METROPOLITAN. 1. City of Sydney 2. Balmain 3. Glebe 4. Newtown 5. Redfern 6. Waterloo 7. Paddington Randwick Waverley Woollahra 8. Canterbury Petersham 9. St. Leonards Manly	$\begin{array}{c} 103,379 \\ 16,929 \\ 10,856 \\ 15,745 \\ 23,638 \\ \\ 20,220 \\ \\ 22,434 \\ \\ 11,010 \\ \end{array}$	1,827 115 96 129 61 74 98 4 22 34 92 58 58 7	3,741 807 516 695 610 536 505 26 79 107 443 447 372 28	2,246 294 197 287 270 210 210 17 37 44 235 138 138 29	1,895 432 279 364 329 273 260 11 37 49 222 243 188 15	1,846 375 237 331 281 263 245 15 42 58 221 204 184	203 8 9 16 14 8 7 1 2 4 11 4 	2222 9 10 21 9 9 8 3 66 44 4	1,263 157 92 162 136 106 102 9 22 19 120 85 59	983 137 105 125 134 104 108 8 15 25 115 53 79 12	1,495 513 319 408 340 326 295 9 42 63 208 309 234
Total		2,675	8,912	4,352	4,597	4,315	287	305	2,349	2,003	4,361
V.—East Midland.	15,596 14,773 { 5,334 { 8,699 { 6,031 8,432 15,256 { 15,723 {	182 25 63 2 4 5 8 43 17 42 83 18 17 24 19 16	769 300 328 15 87 19 109 223 125 213 337 181 138 141 104 125 67	253 114 86 9 22 2 2 37 92 36 68 348 59 91 1 243 43 44 43	399 172 181 12 45 14 59 109 57 114 169 92 67 67 67 73 30	370 128 147 3 42 5 5 50 114 68 99 168 89 71 74 47 52 37	9 1 3 1 2 8 5 11 2 1 2 3 	6 4 5 3 2 11 2 5 9 4 3 3 1 1 1 	146 56 44 6 13 2 21 56 6 22 42 248 30 49 227 32 27 27	107 58 42 3 9 16 36 14 26 100 29 42 16 11 17 16	516 186 242 6 65 177 72 131 89 145 61 81 24
Total		579	3,281	1,590	1,717	1,564	48	59	1,048	542	1,804
VI.—WEST MIDLAND. 1. Carcoar 2. Cowra. 3. Hartley 4. Bathurst East Macquarie. West Macquarie 5. Sofala 6. Orange 7. Wellington 8. Tambaroora Hill End 9. Mudgee Gulgong. 10. Rylstone	10,482 { 8,673 12,828 { 9,472 6,034 17,977 {	43 10 54 125 20 16 4 71 43 9 67 32 12	315 131 330 402 173 138 70 358 232 21 72 328 142 143	93 24 145 220 57 35 42 104 73 8 8 23 104 44	154 63 163 197 79 72 37 198 102 11 37 174 64 72	161 68 167 205 94 66 33 160 130 35 154 78	6 4 7 1 4 1 6 3 1 7 5 2	4 1 5 12 4 4 4 1 4 6 3	63 13 84 116 34 19 19 60 48 5 16 68 29 26	30 11 61 104 23 16 23 44 25 3 7 36 15	222 107 185 182 116 103 28 254 159 13 49 224 98
Total		506	2,855	1,014	1,423	1,432	47	48	600	414	1,841
VII.—SOUTH-EASTERN. 1. Wollongong	7,209 { 5,735 * 8,393 { 11,484 {	32 3 38 27 14 40 11 16 15 42	222 81 169 189 80 210 73 139 49 224	68 11 42 46 10 55 14 37 18 35	124 43 89 101 45 97 46 71 23 112	98 38 80 88 35 113 27 68 26 112	2 3 1 5 2 1 4	2 1 2 1 5 2 2 3	35 7 25 28 4 25 6 25 10 19	33 4 17 18 6 30 8 12 8 16	154 70 127 143 70 155 59 102 31
Total		238	1,436	336	751	685	18	18	184	152	1,100

B.—continued.

			То	tal.		Births					
District.	Popula- tion, Census 1881.	Mar- riages.	Births.	Deaths.		uding ate Births.		timate	Dea	iths.	Excess of Births over Deaths.
	2002				M.	F.	М.	F.	M.	F.	
VIII.—South Midland. 1. Braidwood	6,948 10,751 { 17,204 { 5,715 9,281 6,531 { 6,685 7,893 { 5,459 4,306 5,546 {	27 47 22 119 10 22 72 37 18 15 23 23 39 13 41 23 23	235 299 167 461 153 49 295 260 165 132 105 142 233 145 114	65 67 23 202 54 13 120 64 45 51 47 53 64 29 53 35 42	130 161 87 226 81 25 150 133 83 67 44 78 93 54 117 76 666 59	105 138 80 235 72 24 145 127 82 65 61 64 92 50 116 69 48 65	4 4 2 9 2 6 6 5 6 3 3 3 2 4 3 3 5 5	7 4 4 6 2 5 8 4 3 2 6 1 2 1 3 2 1 3 2	42 41 115 35 6 71 38 30 25 21 30 40 13 27 22 27 58	23 26 9 87 19 7 49 26 15 26 26 23 24 16 26 13 15	170 232 144 259 99 36 175 196 120 81 58 89 121 75 180 110 72
11. Young	11,850 {	44 9	243 123	121 41	123 65	120 58	5 3	5 2	73 22	48	122 82
Total		653	3,734	1,280	1,918	1,816	78	67	750	530	2,454
IX.—SOUTH-WESTERN. 1. Deniliquin	8,908 { 8,135 8,125 { * 6,149 18,347	$\begin{array}{c} 34 \\ \dots \\ 3 \\ \dots \\ 12 \\ 34 \\ 37 \\ 49 \\ 13 \\ 15 \\ 36 \\ 96 \\ 11 \\ 18 \\ 11 \\ \end{array}$	173 8 75 8 48 144 96 186 155 92 85 37 347 97 28	69 66 19 8 23 92 55 58 88 58 37 81 22 125 59 15	96 7 42 5 30 68 55 98 79 42 48 17 186 47	77 1 33 3 18 76 41 88 76 50 37 20 161 50 14	5 7 44 3 2 6 1	2 2 1 10 2 2 5 4 1	50 3 111 6 19 64 36 56 40 21 63 14 75 36 7	19 3 8 2 4 28 19 32 18 16 18 8 50 23 8	104 2 56 25 52 41 98 97 55 4 15 222 38 13
Total	.,	3 59	1,579	757	834	745	28	29	501	256	822
GRAND TOTAL		6,284	28,993	11,536	14,891	14,102	640	623	6,753	4,783	17,369

* Included in Balranald.

The deaths in the Districts of Parramatta and Liverpool exceed the births by 114, which will reduce the excess of births over deaths to 17,255.

C. MARRIAGES—1881.

		Syd	lney.		Sub	urban	Distri	cts.	Co	untry	Distric	ets.		То	tal.	
Denominations.	Mar-		Mark	s.	Mar-		Mark	S.	Mar-		Mark	S.	Mar-		Mark	s.
	riages.	М.	F.	Total.	riages.	М.	F.	Total.	riages.	M.	F.	Total.	riages.	M.	F.	Total.
Church of England	760	22	38	60	284	7	16	23	1,443	96	124	220	2,487	125	178	303
Roman Catholic	274	10	29	39	158	5	10	15	739	86	101	187	1,171	101	140	241
Presbyterian	275	7	22	29	99	2	5	7	498	24	36	60	872	33	63	96
Wesleyan	76	1	5	6	92	5	1	6	483	23	37	60	651	29	43	72
Primitive Methodist	17		1		34	5		5	95	2	5	7	146	7	5	12
Congregational	254	14	32	46	98				81	5	6	11	433	19	38	57
Baptist	43	1	4	5	11				31		2	2	85	1	6	7
Hebrew	25	1	1	2	1				1				27	1	1	2
German Evangelical	2	1		1					11				13	1		1
Christian	3										***		3			
Holy Catholic and Apostolic					,				2				2			
Free Christian Church			1	***	2								2			
Registrars' Offices	98	•••	10	10	69	8	8	16	225	22	33	55	392	30	51	81
	1,827	57	141	198	848	32	40	72	3,609	258	344	602	6,284	347	525	872

D 1.

DEATHS from all causes of Males, at different ages, registered in New South Wales, from 1st January to 31st December, 1881.

	1)				1	1200		511100	er, 1	301.	,					,		1			, ,
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
																1						
CLASS I.—ORDER 1.																						
1. Small-pox	 23 5 2 10 35	 13 5 7 1 19 11	2 2 8 15 3	 2 12 7 1	1 1 6 1 6 2	4 2 13 6 5	2 5 	 1 	2 1 1 	 1 	2	2	2	i i i 	1 1 		2		1		1	9 47 14 64 5 63 57
Fever)	10	1		3	4	7	8	8	24	23	6	9	2	3 5	4	3	4	1	2 2	1	***	126 29
9. Metria 10. Carbuncle 11. Influenza 12. Dysentery 13. Diarrhæa 14. Cholera 15. Ague 16. Remittent Fever 17. Rheumatism 18. Pyæmia	13	17 60 4 2 1	2 4 11 2 	 4 7 1 	 1 2 1 	3 1 4	1 3		 1 1 1	1 1 2 1 	 1 3 2 1 1 1	1 2 1 2 1 2 1	 2 5 3 5	 1 2 1 2	 4 5 6 1 2 2	 6 3 1 3 2	1 8 5 3 5 1	2 4 6 1 2	 3 6 7 3	7 1 4 7 1 2	***	30 99 333 30 3 10 38 8
	351	148	52	37	25	46	19	12	31	32	17	22	23	16	30	19	29	16	25	16	1	967
ORDER 2. 1. Syphilis		1								1	3	1	1 1	3	1	2	3	2		i 		13 12
	0	1	•••			•••				1	3	1		3	1		3	2	***	1	***	25
ORDER 3. 1. Privation 2. Want of Breast-milk 3. Purpura and Scurvy 4. Alcoholism— a Del. Tremens b Intemperance 5. Rickets	35	1			1 				1 1 2	 2 1	3 7	2 5 8	4 2 8	3 1 1 6	1 1 9	1 2 4	5 3 4	1 1 2	"i	2	8 2	27 36 2 21 56 1
	36	1			1		1		4	3	11	15	14	11	11	7	12	4	1	2	10	143
ORDER 4. 1. Thrush 2. Worms, &c. 2a. Hydatid Total, Class I	13 13 406											 1 1 39	2 2 40	4 4 34	1 1 43	1 1 29	44					13 9 22 1,157
Total, Class 1														-			-				1000	-,
CLASS II.—ORDER 1.															1	1	1		1			
1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification	1	i 	2			 1	1 	3 1 1 1		2 1 	2 4 2 	3 5 3 2	7 13 2 	8 12 1 2	10 15 1 1	1 2 16 2 	1 9 12 2 	13 13 2 1	1 8 17 1 	8 10 1 1	ïi	78 120 22 1 10
	4	1	2			1	. 1	7		3	8	13	22	23	28	21	24	29	27	20	1	235
ORDER 2. 1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3a. Hæmoptysis 4. Hydrocephalus 4a. Abscess	3 54 15 13 6	 40 2 12 1	2 2	 1 1	 2 	1 3 1	4	 21 2	 55 1	71 1 2	73 1 2	86 3	81 2	1 68 3 1	 34 2	1 23 3	 11 2	 5 3	 4 1	2	2	5 97 563 6 29 30
	91	55	4	2	2	5	4	23	56	74	76	89	83	73	36	27	13	8	5	2	2	730
Total, Class II	95	56	6	2	2	6	5	30	56	77	84	102	105	96	64	48	37	37	32	22	3	965

D 1—continued.

							D			on we										1	1 -	-
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Agesnotspecified	Total.
CLASS III.—ORDER 1. 1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c	315 6	17 55 1	8 2 11 2	4 3	3 2 1 3	4 1 5 1 4	6 2 1 1	4 2 1 1 7 3	2 1 2 6 4	5 4 2 1 4 4	2 3 5 1 2 6	3 7 8 2 3 5	2 9 9 2 4 8	10 13 3 5 11	1 11 11 5 8	9 9 5 1 5	2 15 15 1 8 5	15 15 2	13 13 1 3 7	12 14 5	 1 2	101 110 122 17 1 57 386 92
	359	73	23	7	9	15	10	18	15	20	19	28		42		29						
Order 2. 1. Pericarditis	3	 1 1			 2 	1 5 6	2 6 	6	1 1 11 13	 1 9 10	1 1 16 18	3 18 21	3 8 27 38	 6 33 	 4 47 51	$\frac{1}{28}$	$\frac{1}{2}$ $\frac{34}{37}$	1 31 32	1 1 17 19	21 21	"i … 1	12 29 315 356
ORDER 3. 1. Laryngitis 2. Bronchitis 3. Pleurisy 4. Pneumonia 4a. Congestion of the Lungs—Pulmonary. 5. Asthma 6. Lung Disease, &c	123 1 63 37 1	4 35 19 14 1	 15 15 4 	 6 1 10 3 20	1 2 1 1 5	 10 1 8 3 	 1 8 1 10	2 2 13 	1 1 2 20 1 1 	 3 1 18 4 2 	 5 16 7 	6 3 22 2 1 4 38	9 3 25 3 1 44	6 5 27 3 3 44	 9 1 30 4 4 5	11 1 13 4 1 	1 23 2 22 22 9 2 3 62	 17 3 19 1 1 1 1 42	 8 2 15 4 8 1	21 12 5 3 1	 3 1 3 	9 316 30 379 111 27 23 895
Order 4. 1. Gastritis	78 7 6 1 3	5 18 2 2 	5	2	1 1 	1 7 4 2	2 3 1 1	7 1 1 2 2 2 2 13	1 7 1 2 1 1 2 1 1 5	1 3 3 1 1 1 1 1 1 1 1 1 1 1 11	1 2 2 1 1 2 1 1 1 1 1	3 4	4 4 1 1 2 6 	4 3 2 2 2 2 1 1 12	6 1 1 2 5 14 29	2 3 2 1 3 1 2 4 5	1 5 1 1 3 1 6 6 18	4 2 2 1 3 1 4 4 17	4 1 1 3 2 1 1 1 13	3 1 1 2 1 1 3 12	 1 1 1 	57 166 31 9 3 13 13 1 1 22 29 12 64 2
ORDER 5. 1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c		1 			,:: ::: :::	1 1 1	1 2 1	 1 1 	 3 1	4 2	2 3 2	2 8 1 1 4	2 4 1 1 3	1 13 1 2	1 4 2 4	1 7 1 2	 5 1 2 1	1 5 4 7 1	1 1 3 2 2	 1 1 10 6	1	14 1 63 12 3 30 31
	1	2				3	4	2	4	6	7	16	11	17	15	11	9	18	9	18	1	154
ORDER 6. 1. Ovarian Dropsy 2. Uterus, Disease, &c																						
ORDER 7. 1. Arthritis							1,		 1 1			 1 1	" " " 1		 1 1	1 1				1 		$\frac{1}{2}$ $\frac{4}{7}$
Order 8. 1. Phlegmon		" " " "						 1 					 1 		" " " 1			 1 		1		7 2 9
Total, Class III		177	63	30	18	61	40	57	74	75	-	120					172	142	117	126	18	2,730
	1	1	1	-		1	-			-	1	-		1	1	-			-		-	1

D 1-continued.

	-			, 1				1			~		1								d.	
	ar.	r.	70	3.	70	rs.	urs.	urs.	ars.	urs.	urs.	urs.	urs.	urs.	ars.	rrs.	ars.	ars.	ars.	pi	Ages not specified.	
CAUSES OF DEATH.	. 1 ye	2 years.	to 3 years.	4 years.	to 5 years.	to 10 years.	to 15 years.	20 years.	25 years.	to 30 years.	to 35 years.	10 ye	to 45 years.	50 years.	55 years.	to 60 years.	35 ye	to 70 years.	75 ye	rs ar	otsp	
	Under 1 year.	to 2	to 3	to	to 5	to 10	10 to 1	15 to 2	to	25 to 3) to 3	35 to 40 years.	40 to 4	15 to 5	to		60 to 65 years.	65 to 7	70 to 75 years.	75 years and upwards.	gesn	Total.
	2	1	C 1	00	4	70	1	Ä	50	22	30	65	1 4	4	20	55	9	9	1 1	7	4	
CLASS IV.—ORDER 1.									7									- 1	1			
1. Premature Birth 2. Cyanosis	123	···																				123
3. Spina Bifida	3																					3
5. Teething	12 61	1 47																				13 108
	205	49											,									254
ORDER 3.		7							-				- 111	-						- 10		
1. Old Age																	67	52	103	274	3	499
		-					_													Tagget.		
ORDER 4.	200	41																				382
1. Atrophy and Debility	239	41	1	1							•••	•••									••••	-
Total, Class IV	544	90	1	1													67	52	103	274	3	1,135
CLASS V.—ORDER 1.—																						1
Accident or Negligence. 1. Fractures & Contusions		2	5	5	5	6	17	20	35	30	25	32	25	34	27	20	22	15	4	11	3	343
2. Wounds $\begin{cases} \alpha \text{ Gunshot} \\ b \text{ Cuts} \end{cases}$				1		2		2	1 1	1	1	1		 1								9
3. Burns and Scalds	4	6	13	6	1	3					2	1		1		1		1	1	4	1	45
3a. Sunstroke	1 3	1	2	 5		1	1 2		1	1 2	1 1	2 1	1 1		1 2		1	1	1	3 1	1	20 20
4a. Bite of Snake or Insect	1					2 7	1 5				9	12	12					2		2	2	134
5. Drowning	1 8	6	8	3	1			7	16	10 2	1		,	12 3	2	1	7 2		4 2	1	1	25
7. Otherwise													1	1		•••						2
	18	16	29	20	7	21	26	29	55	47	40	49	41	52	40	22	32	.19	12	22	9	606
ORDER 2.—													1		-							
VIOLENT DEATHS IN BATTLE.																			11/26			
1. Gunshot Wounds																		• • • •				
2. Sword and Bayonet Wounds		1		1																		
3. Otherwise																			•••		***	
ORDER 3.—HOMICIDE.	3									1	1	2		1			1	1			1	11
1. Murder	1						1	1			1	1			1							6
	4						1	1		1	2	3		1	1		1	1			1	17
							* ,		1				- 100		_	-	7	11				
ORDER 4.—SUICIDE.											,	0		0		7		-	-			10
1. Wounds { Gunshot Cut, Stab, &c									1		1 3	2	2	3	4 2	1	2	1	1			16 10
2. Poison									1	2	1	···	1 1	2	1 1	2				1 1		8 8
3. Drowning									1		4	4	2	2	1	4		2			2	22
5. Otherwise										1	1	1	2	1	2		1	1				
						,		,	3	4	10	8	8	9	11	8	3	5	1	2	3	75
ORDER 5.—EXECUTION.																			1			0
1. Hanging														1	1			•••		***		2
						8																
Violent Deaths (not classed) Open Verdicts (found		1				1				3	4	4	4	2	2	1		1		1		24
drowned, &c.)																						
Total, Class V	22	17	29	20	7	22	27	30	58	55	56	64	53	65	55	31	36	26	13	25	13	724
	1																					
																		-				
Sudden Deaths (cause un- ascertained)																						•••
	-																					
Causes not specified or									1	2	3	1	7	3	4	2	1				18	42
ill-defined							,							-			-		-	-	-	
GRAND TOTAL	1,796	3 490	151	90	53	135	91	129	224	245	258	326	354	366	352	234	357	279	291	466	66	6,753
						1				-						1						
A STATE OF THE PARTY OF THE PAR	-					1	1	1	1 100	1		1		1		13-13		1		1	1	

D 2.

DEATHS from all causes of Females, at different ages, registered in New South Wales, from 1st January to 31st December, 1881.

							JIBU	Dec		, 1	001.		34				1		-	1		,
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1. 1. Small-pox	7 9 3 24 160 18	 10 7 5 1 15 18 3 2 7 63 4	 6 5 8 9 7 6 2 7	1 2 8 1 9 6 5 	 1 1 7 7 4 1 2 	3 2 14 7 5 15 3 2 1	13	26 2	2		11. 2 2	10 1 2 2 1	1 1 6	2 1	2 2	1 1 1 2 5	1	1		1 1		8 1 41 21 68 3 62 99 140 18 14 1 8 54 278 28 1
16. Remittent Fever 17. Rheumatism		3		. 1	1	1	4	2 2	1	2	2	2	2	3	1	2	1	···	2	1	***	10 26
18. Pyæmia		• • • • • • • • • • • • • • • • • • • •						•••	1	1	•••	2	2		•••							6
	320	138	50	39	24	57	35	37	29	32	20	21	13	11	8	12	15	9	8	9		887
ORDER 2. 1. Syphilis																						6
ORDER 3. 1. Privation 2. Want of Breast-milk 3. Purpura and Scurvy 4. Alcoholism— a. Del. Tremens b. Intemperance	40 1	2	 1 1		 1 						3	10	 1 7	1 6	3		1		1 1			1 42 4 2 37
	41		-		1	• • • • • • • • • • • • • • • • • • • •		•••		1	3	10	8	7	3	2	4	1	2			86
ORDER 4. 1. Thrush	1					1		2			· 1											20 2 4
T	21	•••	••••	•••	•••	1	•••	2		•••	1		•••				1					26
Total, Class I	387	141	51	39	25	58	35	39	29	33	24	31	21	18	11	14	20	10	10	9		1005
CLASS II.—ORDER 1. 1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification	2	3	1	1		3 1		 2 1 2 	1 1 	2	5 1 	 6 5 2 1	 6 8 2 1	 8 12 5 1	 8 20 4 	1 9 11 2	 5 6 1 1	 8 11 2 4	8 9 1	 5 4 3 		1 74 96 26 9
		3	1	1		4		5	2	2	6	14	17	26	32	23	13	25	18	12		206
ORDER 2. 1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3a. Hæmoptysis 4. Hydrocephalus 4a. Abscess	2 51 10 13 1	28 4 6 	2 1	 1 	2	3 1	1 12 	 21 2	55 1 	52 2	32	 47 	21	 16 2	 12 2	6	 7 1 	1 1 	 1 1	 1 		4 83 303 2 19 11
Total, Class II	77	$\frac{38}{41}$	3 4	1	2	4	13	23	56	54	32	47	21	18	14	6	8	2	2	1		422
Local, Class II	19	41	4	2	2	8	13	28	58	56	38	61	38	44	46	29	21	27	20	13		628

D 2—continued.

		1								eucu,												4
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1. 1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c	239 2	21 52 	10 2 11 	2 2 1	3 1 1	5 2 1 3	1 1 1 4 4	 1 1 6 3	3 3 2 1 6 4	2 2 7 	1 3 2 4	1 5 2 4 5	5 5 1 5 7	12 5 3 1 8	 9 7 2 3	10 3 2 2	1 9 6 1 2 8	13 10 1 5	8 3 3	5 9 3	1	88 81 61 6 1 49 304 65
ORDER 2. 1. Pericarditis	3	73		5 5 5	5	11 2 2	11 7	11 8 	19 5 	11 17 17	10 1 11 12	17 22 22	23 2 13 15	29 24 24	1 1 18 20	17 1 19 20	27 1 17 18	29 15 15	14 8 	17 12 12	2 2	1 6 209 216
ORDER 3. 1. Laryngitis	117 41 25 4	34 2 31 8	3 11 1 16 3	2 8 12 3 1	5 2 3	10 1 7	2 1 5	1 2 11 3	1 1 9	 5 1 12 3 	 2 7 5	 4 3 16	7 11 1	6 1 12 2 1	1 5 4 7	7 1 10 	6 1 8	7 8 2 2 2	6 2 3 3 1	 15 3	 1	7 259 22 233 70 22
6. Lung Disease, &c ORDER 4.	188	76	34	26	10	19	1 11	17	14	21	1 15	27	21	22	21	21	17	19	16	25	1	621
1. Gastritis 2. Enteritis 3. Peritonitis 4. Ascites 5. Ulceration of Intestines 6. Hernia 7. Ileus 8. Intussusception 9. Stricture of Intestines 10. Fistula 11. Stomach Disease, &c 12. Pancreas Disease, &c 13. Hepatitis 14. Jaundice 15. Liver Disease, &c 16. Spleen Disease, &c	60 3 3 1 5	10 18 3 1	3 6 1 1	2	1 1 1 1	2 5 1	1 5 3 1	3 4 2 1 2	2 11 12 1 1 2	2 4 6 1 1 1 	3 3 5 3 1 3	1 6 2 	3 4 3 2 1 1 7	1 5 2 2 1 4 3 5	1 2 1 1 1 4 2 5	2 1 2 3 10	2 5 1 1 1 4 10	4 1 2 1 1 1 1 2 1 2	1 4 1 2 1 1 4 	1 1 1 1 1 1 1 		61 148 49 11 3 4 6 1 2 27 18 61
ORDER 5. 1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis		1 1 	11 		3	8	3 1	 4 1	1 3 	1 5	 3 	 5 	4 2 	1 2	17 1 3 1 3	 2 1	1 6 1 1	1 4 2	14 2 1 	6 2 1		10 1 45 5 1 3
7. Kidney Disease, &c ORDER 6.		3	1	1 1			4	5	6	7	3	9	6	6	8	3	9	7	3	3		19 84
1. Ovarian Dropsy 2. Uterus Disease, &c									1	1 2	$\frac{1}{3}$ $\frac{4}{4}$	6	1 1	1	1	2 2					***	14 18
ORDER 7. 1. Arthritis 1a. Ostitis, Periostitis, &c. 2. Joint Disease, &c.							1 2 	1	 1 1					1	1		 1 1					3 5 8
Order 8. 1. Phlegmon	 1	1							 1 		 1 1					1 		 1 	1 			5 2 7
Total, Class III	578	1 186	69	39	18	40	46	54	77	74	63	97	88	106	89	82	96	87	56	63	5	2,013

D 2—continued

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	94 4 1 16 67	 54																				94 4 1 16 121
	182	54					*									•••			•••			236
ORDER 2. 1. Paramenia		·						5	20	 25 	 18 18	 25 25	 9 								1	103
				•••				5	20	25						•••			•••			105
ORDER 3. 1. Old Age						•••											37	22	57	139	1	256
ORDER 4. 1. Atrophy and Debility	293	41	5			·												,				339
Total, Class IV	475	95	5					5	20	25	18	25	9				37	22	57	139	2	934
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE. 1. Fractures & Contusions 2. Wounds $\begin{cases} a$. Gunshot b . Cuts 3. Burns and Scalds 3a. Sunstroke 4. Poison 4a. Bite of Snakeor Insect 5. Drowning 6. Suffocation 7. Otherwise	1 3 1	 7 1 1 5 	2 6 2 1 5 	2 1 5 1 2 	 4 1 6	6 1 8 2 1	2 1 1 1 1 7	3 5 1 1 	2 1 4	1 1 1 1 	1 1 1 1 1	4 1 1 7	2 1 1	6 1 1 1	4 1 1 5	2 1 	5 1 2 2 	1 1 2	3 3	2 1 	1 1 3 	51 1 4 47 10 12 1 25 10 5
Order 3.—Homicide. 1. Murder 2. Manslaughter	5																•••					5
	5																					5
Order 4.—Suicide. 1. Wounds { Gunshot 2. Poison 3. Drowning 4. Hanging 5. Otherwise								 1	 1 1		 1 1	 1 	 1 1 2	1 1	 1 1							 1 2 2 2 2 1 8
ORDER 5.—EXECUTION. 1. Hanging																						
Violent Deaths (not classed)										1	1		1									3
Total, Class V	25	14	16	11	6	18	7	11	5	5	7	8	7	10	6	3	10	2	3	3	5	182
Sudden Deaths (cause unascertained)	•••							,														,
Causes not specified or ill-defined	1						1		2	1	2		2	3	1		2				6	21
GRAND TOTALS	1545	477	145	91	51	124	102	137	191	194	152	222	165	181	153	128	186	148	146	227	18	4783

D 3.

DEATHS from all causes, of Both Sexes, at different ages, registered in New South Wales, from 1st January to 31st December, 1881.

CAUSES OF DEATH. \$\frac{5}{2} \frac{1}{2} \frac{1}{		1	1	1	1	1	1	1	13	1	1	1	1	1	1	1	1	1	1	1	1	1 75	1
1. Small-pex	CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	to 3	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	to	to	to	100		40 to 45 years.	45 to 50 years.	100	to	60 to 65 years.	to	100	75 years and upwards.	Ages not specified	
1. Small-pex																					1		
18. Chicken-pos		1				1	3	1		1.		9	1	1		1				1		1	17
3. Sachiania 12 12 77 4 2 4 2 4 2 1 1 1	la. Chicken-pox	1																				10000	1
3a. Dipitheria 12 12 16 20 13 27 10 3 2 2 1 1 2 1 12 14 15 15 15	3. Scarlatina												1									1	
5. Cropp	3a. Diphtheria	12				13				2			2							1	1		132
6. Wheoping-cough	5. Croup								1											1000		1	
S. Eryspielas	7. Typhoid (and Infantile																						
9. Metria	8. Erysipelas	19		1.			1															1	
11. Influenza	9. Metria							1300-3															
13. Diarchesis	11. Influenza	16							8														
14. Cholers																						1	
16. Remittent Pever	14. Cholera																1						
17. Rheumatism														1					1				
ORDER 2	17. Rheumatism										3		4	7		2	5	6	3				64
Carried Carr	18. Pyæmia	1				•••		•••		1	2		3	2		2	2	1				•••	, 14
1. Syphilis		671	286	102	76	49	103	54	49	60	64	37	43	36	27	38	31	44	25	33	25	1	1,854
2. Stricture of the Cretches 3. Hydrophobia. 4. Glanders 11 2																							
3. Hydrophobia	1. Syphilis	11																		13	-		
11 2 .	3. Hydrophobia		1				1														1		
ORDER 8. 1. Privation ORDER 8. 1. Privation ORDER 9. Noted Breast-milk. 75 3																					• • • •		
1. Privation 2. Want of Breast-milk 75 3 1 1 8 28		11	2								1	3	1	1	3	1	2	3	2		1		31
1. Privation 2. Want of Breast-milk 75 3 1 1 8 28	ORDER 3.						- 3																
3. Parpura and Scurry	1 1. Privation					1				1			2	4	3	1	1	5	1	1		8	
4. Alchoholsmen a. Del Tremens																							
b. Intemperance 1	4. Alcoholism—																9	9	1				00
Class II. — Order 1. Class II. — Order 1. Class II. — Order 2. Class II. — Order 3.																							
ORDER 4. 1. Thrush		_																•••					1
1. Thrush 33		77	3	1		2				4	4	14	25	-22	18	14	9	16	5	3	2	10	229
1. Thrush 33	ORDER 4.															-						,	
2a. Hydatid 1 1 2 4 1 1 1 1 1 2 4 1	1. Thrush	33															1						
Total, Class I 793 291 103 76 51 104 54 51 64 69 55 70 61 52 54 43 64 32 36 28 11 2,162 CLASS II.—Order 1. 1. Gout	2a. Hydatid										133												
CLASS II.—ORDER 1. 1. Gout			-			-	-		2			1	1	2	4	1	1	1					48
CLASS II.—ORDER 1. 1. Gout	Total Class I	793	991	103	76	51	104	54	51	64	69	55	70	61	52	54	43	64	32	36	28	11	2,162
1. Gout	Total, Class I	100	201								-						-						
1. Gout																							
1. Gout	Criss II - Oppor 1																						
2. Dropsy	1. Gout																						
3a. Tumour 1 2 1 1 1 3 3 5 4 6 5 4 3 4 1 4 48 3b. Polypus	2. Dropsy																						
3b. Polypus	3a. Tumour							1	3			3	5	4	6	5	4	3	4	1	4		48
5. Mortification	3b. Polypus										1						100						1
ORDER 2. 1. Serofula 5 1 1 1 1 1 9 2. Tabes Mesenterica 105 68 4 2 1 <td>5. Mortification</td> <td></td> <td>1</td> <td>1</td> <td>,</td> <td>19</td>	5. Mortification																			1	1	,	19
1. Scrofula 5		6	4	3	1		5	1	12	2	5	14	27	39	49	60	44	37	54	45	32	1	441
1. Scrofula 5	Oppor 9		-			-			-														
2. Tabes Mesenterica 105 68 4 2 1	1. Scrofula	5						1															
3a. Hemoptysis	2. Tabes Mesenterica																						
4a. Abscess	3a. Hæmoptysis									1	1	1			3			1		1			8
168 93 7 3 4 9 17 46 112 128 108 136 104 91 50 33 21 10 7 3 2 1,152	4. Hydrocephalus																						
100 00 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AUSCESS		-							-	-		136	-		50	33		10	7		-	1,152
Total, Class II 174 97 10 4 4 14 18 58 114 133 122 163 143 140 110 77 58 64 52 35 3 1,593				-		_						-								-			
	Total, Class II	174	97	10	4	4	14	18	58	114	133	122	163	143	140	110	77	58	64	52	35	3	1,593

D 3—continued.

			4						-							1	1)	1	1	1 =	1
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS III.—ORDER 1. 1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insamity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c	77 554 8	38 107 1	18 2 2 22 22 2	6 2 4	6 1 2 1 4	9 1 7 2 7	7 1 3 5 5	4 3 1 2 13 6	5 4 4 1 12 8	7 4 4 1 11 4	2 4 8 1 4 10	4 12 10 2 7 10	2 14 14 3 9 15	22 18 6 6 	1 20 18 7 11	19 12 5 3 7	3 24 21 2 10 13	28 25 1 7	21 16 1 3 10	17 23 8	 1 2 2	189 191 183 23 2 106 690 157
	639	146	46	12	14	26	21	29	34	31	29	45	57	71	57	46	73	61	51	48	5	1,541
ORDER 2. 1. Pericarditis	6	2		5	2	1 7	2 13	14	1 1 16	1 26	1 2 27	3 40	3 10 40 53	6 57 63	1 5 65 71	1 2 47 50	1 3 51 55	1 46 47	1 1 25 27	33	1 2 3	13 35 524 572
	6	2		5	2	8	15	14	18	27	30	43		09	11		00		41		-	014
ORDER 3. 1. Laryngitis	240 1 104	4 69 2 50 22 	3 26 1 31 7 	2 14 1 22 6 1	1 7 3 4	20 2 15 4	3 1 13 1 1 2	3 4 24 3	2 2 2 29 4 1	 8 2 30 7 2	7 23 12 	10 6 38 5 1 5	16 3 36 4 4 2	12 6 39 5 1 3	1 14 5 37 7 5 5	18 2 23 4 4	1 29 3 30 9 4 3	 24 3 27 3 1	14 4 18 7 9 2	36 15 6 8 2	3 1 4 3 	16 575 52 612 181 49 31
	417	149	68	46	15	41	21	34	40	49	43	65	65	66	74	51	79	61	54	67	11	1,516
Order 4. 1. Gastritis 2. Enteritis 3. Peritonitis 4. Ascites	55 138 10	15 36 2	3 11 1	2 2	2 2 1	3 12 5 2	3 8 3	10 5	3 18 12 1	3 7 9 1	4 5 7 1	4 10 2	7 8 4 2	1 9 5 2	7 3 2	4 3 3 1	3 10 1	4 6 3 3	1 8 2 2	1 4 2 2		118 314 80 20
5. Ulceration of Intestines 6. Hernia 7. Ileus 8. Intussusception 9. Stricture of Intestines 10. Fistula 11. Stomach Disease, &c 12. Pancreas Disease, &c 13. Hepatitis 14. Jaundice 15. Liver Disease, &c 16. Spleen Disease, &c	9 2 8	 2 3 1		 1		 1	 1	1 4 1 4 	2 2 1 1 1 4 	1 1 2 1 2 	1 2 4 1 4	8	1 1 1 3 13	2 2 3 5 3 17	1 3 9 2 19	3 1 2 6 3 15	2 .4 5 16	1 4 2 1 2 1 6 	1 4 3 1 5	2 1 2 2 1 3	1 1 1	6 17 19 2 3 35 56 30 125 2
	241	59	17	5	5	23	17	25	45	27	30	32	42	49	46	41	42	33	27	18	3	827
ORDER 5. 1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c	1	2 1 2	1	 1		 1 1 1 	4 2 1 1	5 2	1 6 3	1 9 3	2 6 2	2 13 1 1 8	2 8 2 1 1 3	2 15 1 5	1 1 7 5 2 7	1 9 1 3	1 11 1 3 2	2 9 4 7 3	1 1 5 1 2 2	 3 1 11 6	1	24 2 108 17 4 33 50
0	1	5	1	1		3	8	7	10	13	10	25	17	23	23	14	18	25	12	21	1	238
Order 6. 1. Ovarian Dropsy 2. Uterus Disease, &c	•••									1 1 2	1 3 4	6	1 1	1 1	1	2 2						14 18
ORDER 7.							***		1		4		1	1	1		•••					
1. Arthritis						•••	2 2 4	1	2 2			 1 1	 1 	1	2	 1 1	 1 1			 1 1		4 2 9 ——————————————————————————————————
Order 8.								-			- 12	-	-	-		-						
1. Phlegmon	 1 2	2 2						1 1	1 	•••	1 1		1 		1 1	1 		 2 2	1 1 2	 1 1	•••	12 4 16
		-	-								1					1						
Total, Class III	1,307	363	132	69	36	101	86	111	151	149	147	217	237	274	275	206	268	229	173	189	23	4,743

D 3—continued.

								0		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,											1 19.00	
CAUSES OF DEATH,	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis	217 10 4 28 128	1 1 101																				217 11 4 29 229
	387	103																				490
ORDER 2. 1. Paramenia								5	20	25		25	9									
				11.				5	20	25	18	25	9				,				1	103
Order 3. 1. Old Age																	104	74	160	413	4	755
ORDER 4. 1. Atrophy and Debility	632	82	6	1												•••						721
Total, Class IV	1019	185	6	1				5	20	25	18	25	9				104	74	160	413	5	2069
CLASS V.—ORDER 1.—ACCI- DENT OR NEGLIGENCE. 1. Fractures & Contusions 2. Wounds { a. Gunshot } b. Cuts 3. Burns and Scalds 3a. Sunstroke 4. Poison 4a. Bite of Snake or Insect 5. Drowning 6. Suffocation 7. Otherwise	3 1 7 2 5 1 1 18 	2 13 2 1 11 1 	7 19 4 2 13 45	7 1 1 11 1 5 5	5 5 1 2	12 2 1 11 1 2 9 1	19 1 1 2 2 2 2 6 	23 2 5 1 1 7 	37 1 1 1 1 17 1 	31 1 1 2 3 10 2	26 1 3 2 1 10 1 1	36 1 1 2 2 13 1	27 1 13 2	40 1 2 1 12 3 2 2	31 1 1 2 8 2	22 1 1 1 1	27 1 2 1 2 7 2 	15 2 1 3 	7 1 1 4 2	13 4 3 1 3 1	4 2 1 1 5 1 	394 10 8 92 30 32 5 159 35 7
		30	40	91	13	59	33	39	59	51	45	56	45	61	45	25	42	21	15	25	<u></u>	-172
ORDER 2.— VIOLENT DEATHS IN BATTLE. 1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise																						
																•••	•••					
ORDER 3.—HOMICIDE. 1. Murder	8 1						ï	1		1	1 1	2 1		1	 1		1	1			1	16
	9						1	1		1	2	3		1	1		1	1			1	22
Order 4.—Suicide. 1. Wounds {Gunshot Cut,Stab,&c 2. Poison 3. Drowning 4. Hanging. 5. Otherwise								 1	1 1 1 1	 2 1 1	1 3 1 5 1	2 1 5 1	 2 2 2 2 2 2 2	3 2 2 2 1	4 2 2 1 1 2 	1 1 2 4 	2 1	1 1 2 1	1 1	 1 1 	 2 1	16 11 10 10 24 12
0								-	-	-			-				-					
Order 5.—Execution. 1. Hanging														1	1							2
Violent Deaths (not classed)		1				1				4	5	4	5	2	2	1		1		1		27
Total, Class V Sudden Deaths (cause un-	47	31	45	31	13	40	34	41	63	60	63	72	60	75	61	34	46	28	16	28	18	906
ascertained)																						
Causes not specified or ill-defined	1	3					1		3	3	5	1	9	6	5	2	3				24	63
GRAND TOTAL	3341	967	296	181	104	259	193	266	415	439	410	548	519	547	505	362	543	427	437	693	84	11536

E 1.

Deaths from all causes, of Males, at different ages, registered in Sydney, from 1st January to 31st December, 1881.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS I.—ORDER 1. 1. Small-pox 1a Chicken-pox 2. Measles 3. Scarlatina 3a Diphtheria		1 1 1		 1		 2 1 1									1							1 3 2 5 2
4. Quinsy 5. Croup 6. Whooping-cough 7. Typhoid (and Infantile Fever)	$egin{array}{c} 1 \\ 1 \\ 2 \\ 1 \\ \end{array}$	1	 2 	1	1 2	1	1	•••	1 7	6		3				1					•••	6 3 24
8. Erysipelas	1 								•••						1				1			3
11. Influenza	2 45	2 12	2					•••		1	1 1	 1	1 1 		 2 1	1	1 2 2		1	 1	•••	9 67 4
15. Ague					1		1			1			 1	 1		 1 1	 1		i 1			1 1 6 3
	53	18	6	2	5	5	2		8	9	2	4	3	2	7	4	6		3	1		140
ORDER 2. 1. Syphilis 2. Stricture of the Urethra 3. Hydrophobia 4. Glanders	1									1												2
	1									1												2
Order 3. 1. Privation	 6 1								2	 1 1	 3 1	 5 4	 1 2		 1 5	 1 2	 2 1					6 14 20 1
	7								2	2	4	9	3	1	6	3	3		1			41
ORDER 4. 1. Thrush														2		•••						1 ₂
Total, Class I	62	18	6	2	5	5	2		10	12	6	13	6	5	13	7	9		4	1		186
CLASS II.—ORDER 1. 1. Gout 2. Dropsy 3. Cancer 3a Tumour 3b Polypus 4. Noma 5. Mortification			2		2.4		 1 	1		1 1 	1	1 1	 1 2 2 	 1 3 1 	 2 2 1 	1 3 	 2 3 	2	1 3	 2 		1 14 18 7
	•••		2			•••	1	1	•••	2	1	2	5	5	5	4	5	2	4	2		41
ORDER 2. 1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3a Hemoptysis 4. Hydrocephalus 4a Abscess	19 2 1 	6 3	2	 1 		1 1	1 	6	20	21 1 	17 1 	23	17	17 1 	8	1 7 	:: :5 :: ::	2				1 28 147 3 5 2
Total, Class II	$\frac{22}{22}$	9	$\frac{2}{4}$	1	•••	2 2	$\frac{1}{2}$	8	21	22	18	$\frac{23}{25}$	17	18 23	13	$\frac{8}{12}$	$\frac{5}{10}$	4	4	2		186 227
20001, 01000 11	44	9	4	1	•••	4	4	0	21	24	19	40	22	43	19	14	10	4	4	4		

E 1—continued.

CLASS III.—ORDER 1. 1. Cephalitis	Under 1 year.	to 2 years.	3 years.	to 4 years.	5 years.	to 10 years.	to 15 years.	20 years.	to 25 years.	years.	35 years.	ears.	ears.	50 years.	55 years.	ears.	ears.	ears.	ears.	nd ds.	pecifie	
1. Cephalitis		1 t	2 to	3 to 4	4 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30 years.	30 to 35 y	35 to 40 years.	40 to 45 years.	45 to 50 y	50 to 55 y	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Agesnot specified.	Total.
1. Cephalitis																						
Q Anonla-	6	7	3	1	2	2	0	0	,	,	-	,										00
2. Apoplexy							2	3	1	1	1 2	1 5	4	4	5	4	6	6	4	3		30 45
3. Paralysis								1	2						1	3	2	1				10
5. Chorea								1														1
6. Epilepsy	53	9	2					2	1	1	1	2	2	2	2							13
8. Brain Disease, &c	4	1		1	1	1			2	1	1	1	1	2	2	2				1		67 18
	63	17	5	2	3	3	2	7	7	4	5	9	7	8	10	9		7	4	4		184
ORDER 2.				-				-	-													101
1. Pericarditis											1		2			1	1	1				6
2. Aneurism					1	 1	1	2	1 2	2	1 5	7	1 5	2 5	10	1 1	1 2	4	 1	2		8 51
01 11care 2 1care, co. 11.																						
					1	1	1	2	3	2	7	8	8	7	10	3	4	5	1	2		65
ORDER 3.																						
1. Larvngitis		1							1		1											2
2. Bronchitis	24	7	1	1		1	1	1 1			2	3		2 3	5	3	2	2	2	8	1	66
4. Pneumonia	9	3	2	1		1	2	1	1	6	4	3	4	5	5	1	4		3	1		56
4a. Congestion of the Lungs—Pulmonary	9	1	1			1					1	1				1	1	1		1		18
5. Asthma							7						1		1				2			4
6. Lung Disease, &c		1		•••							•••			1								2
	43	13	4	2		3	3	3	2	6	7	8	5	11	11	5	7	3	7	10	1	154
Oppup 4																						
ORDER 4.	7	2								1						1						11
2. Enteritis	16 2		1			2		1	1	2		2		1	1 1		1					27 5
3. Peritonitis						1					1			1	1			•••				4
5. Ulceration of Intestines 6. Hernia									1	1						2						$\frac{2}{2}$
7. Ileus	3	1															1					5
8. Intussusception 9. Stricture of Intestines	1															1						1
10. Fistula																						
11. Stomach Disease, &c12. Pancreas Disease, &c										1			1	1				•••		1		4
13. Hepatitis												1			1	1						3
14. Jaundice	3									1		3	1		2	1						4 7
16. Spleen Disease, &c																						
	32	3	1			3		1	2	7	1	6	2	3	6	6	2			1		76
																		- 7				
ORDER 5.							1						,									1
1. Nephritis																			1			1
3. Nephria							1			2	2	4	1	7	2 1	2 1		3	1			25 2
4. Diabetes													1									1
6. Cystitis										1	1	3	2	1	1 2	1			1			2 12
7. Kidney Disease, &c					-	-		-		3	3	7	4	9	6	4		3	3		-	44
	***						2			-			#	-								
ORDER 7.																						
1. Arthritis													 1					***				
1a. Ostitis, Periostitis, &c. 2. Joint Disease, &c																						
- John Discuse, delimin			-		-/-								1								!	1
																		1				
ORDER 8.																						
1. Phlegmon																						
2. Ulcer	1																					1
The state of the s	1																					1
	1																					
Total, Class III 1	139	33	10	4	4	10	8	13	14	22	23	38	27	38	43	27	21	18	15	17	1	525

E 1—continued.

							-			1			1	1				1	Ī	1	, d	1
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total,
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis	23 5 2 8									•••			•••			•••				666		23 5 2 10
	38	2		• • •	•••		,				•••								•••		•••	40
ORDER 3.			•••	•••													• • • •	4	6	7		17
ORDER 4. 1. Atrophy and Debility	73	5	1																			79
Total, Class IV	111	7	1	•••														4	6	7		136
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE. 1. Fractures and Contusions 2. Wounds	1 3	 1 1 	1 2 	1 2	2	 1	2	3 1	9 1 4	7 1 2	5 1 3	11	12 1 1	5 1 2 1 1	8	5	2	4 1 		2		79 3 5 6 12 6
7. Otherwise	4	2	3	3	2	1	2	4	14	10	9	12	14	10	8	5	2	5	•••	2		112
Order 2.—Violent Deaths in Battle. 1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise																						
Order 3.—Homicide. 1. Murder 2. Manslaughter	2 2						1				1 1						•••					2 4 6
Order 4.—Suicide. 1. Wounds { Gunshot Cut, Stab, &c.} 2. Poison 3. Drowning 4. Hanging 5. Otherwise (falls from high places)									 i 	 1 	1	1 1				1 1 1				1		3 2 2 2 2
		·							1	1	1	2	2	1		3				1		12
Order 5.—Execution. 1. Hanging															1							1
Violent Deaths (not classed) Open Verdicts (found drowned, &c.)	\	1	•••			1			•••	3	4	4	4	2	2	1		1	•••	1		24
Total, Class V	6	3	3	3	2	2	3	5	15	14	15	18	20	13	12	9	2	6		4		155
Causes not specified or ill- defined	•••							•••	1	1	3	1	6	3	4	2	1				12	34
GRAND TOTALS	340	70	24	10	11	19	15	26	61	73	66	95	81	82	85	57	43	3.2	29	31	13	1,263

E 2.

DEATHS from all causes, of Females, at different ages, registered in Sydney, from 1st January to 31st December, 1881.

CAUSES OF DEATH.	Under I year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1. 1. Small-pox 1a. Chicken-pox 2. Measles 3. Scarlatina 3a. Diphtheria 4. Quinsy 5. Croup	 1	 2 4 2	 1 2 2 1			1 2	1		 1 			 1										2 3 6 4 1
6. Whooping-cough 7. Typhoid (and Infantile Fever) 8. Erysipelas 9. Metria 10. Carbuncle 11. Influenza 12. Dysentery 13. Diarrhœa	5 1 1 1 33	5 18	1 1	1 1 1		5 1		6 2	7 1 2	2 3 2	3 1	3	2	1	1			1 2	1	····		13 34 2 7 2 74
14. Cholera	8	32	9	5	2	1	2	 1 9	11	7	4	4	2	1 2	1	 1 5	7	3	3	1 2		9 1 4 172
ORDER 2. 1. Syphilis	2	1																				3
Order 3. 1. Privation	10	2	 1								3	5	4		3	 ï	1 2	 1				 12 2 26
ORDER 4.	10	2	1							1	3	5	4	5	3	1	3	1	1			40
2. Worms, &c. 2a. Hydatid	63	35	10				2		11		7		6	··· 7	4	6	10		4			215
CLASS II.—ORDER 1.																7.1.4						
1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification		1						1 1	1	i 	2	ï 	2 2 1 	3 2 1	1 8	2	2 1	2 5 1	1 1 	1 1 		15 26 3 1
ORDER 2.		1				***	,	2	1	1	2	1	5	6	9	2	3	1	2	2		45
2. Tabes Mesenterica 3. Phthisis 3a. Hemoptysis 4. Hydrocephalus 4a. Abscess	9 3	2 1			2	i 	1	6	16 1	15	10	15	8	3	5 1	3	2	···	ï 			13 87 1 4 1
Total, Class II	12	3 4			2	1	1	8	17	16	10 12	15	13	9	6 15	5	5	10	3	2		107

E 2—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER I. 1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c.	3 37 1	8	1 1 		1	2	1 1 1	 1	1 1 3	1 2 3 	1 1 1 	 2 	 4 2 3 2	3 1 	 2 2 2	 4 1 	5 5 1 2	4 3 1 4		5 4 		18 29 20 14 47 19
	41	16	2		1	3	3	2	5	6	3	2	11	5	6	5	13	12	2	9		147
ORDER 2. 1. Pericarditis 3 2. Aneurism			•••	•••			 1	 1 1	 2 2	3		6	1 6 7	 1	6	2	1	5		4		1 38
ORDER 3.						•••		-								_	-					
1. Laryngitis 2. Bronchitis 3. Pleurisy 4. Pneumonia 4a. Congestion of the Lungs—Pulmonary.	30 5	 2 7 2	1	1	1 1	2			 2	3 1	1 2	1 4	 1	3	1 1 	1 1	3	2 2	1 	6 1		1 54 1 32
5. Asthma	1			1								1								1		$\begin{vmatrix} 3 \\ 1 \end{vmatrix}$
	39	11	1	3	2	2			2	5	3	7	1	6	2	2	3	4	1	8		102
ORDER 4. 1. Gastritis	12	2 4	1 1 				1 	 1	 2 1	1 1 2 1	1		1 1 2 1	 1			1					16 20 8 3
tines 6. Hernia 7. Ileus 8. Intussusception 9. Stricture of Intestines 10. Fistula	1 1 								1 1	 1			1	2			1 	1 		1 		1 3 4 1 2
11. Stomach Disease, &c. 12. Pancreas Disease, &c 13. Hepatitis 14. Jaundice 15. Liver Disease, &c 16. Spleen Disease, &c	1	 1 									2			1 3	2 2 	2	2 2 	 1 1 1	1 			1 9 2 11
	25	7	2				1	1	5	6	3		6	7	4	2	6	4	1	1		81
Order 5. 1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c								1 1 	 1 1	3	 3 	2 2 2	1 	1 1 2	 2 1	 1 	1 1 1	3		 1 		2 19 1 2 6
								2	2	3	3	4	1	4	3	1	3	3		1		30
Order 6. 1. Ovarian Dropsy 2. Uterus Disease, &c																						1
Onno F	•••	•••	•••			•••			1		•••	•••						•••	•••	•••		
ORDER 7. 1. Arthritis										•••				1	 1 1		 1 1					1 2 3
ORDER 8. 1. Phlegmon																 1		···· 1				2
																1		1	,			2
Total, Class III	105	34	5	3	3	5	5	6	17	23	12	19	26	24	22	13	27	29	4	23		405

E 2—continued

							П	4	conti	nued									11/1/4		100	
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	19 2 1 3 2	7																				19 2 1 3 9
ORDER 2. 1. Paramenia								2 2	2 2	7 7	2 2	1 1	3 3								•••	17
ORDER 3. 1. Old Age									,								4	5	13	24		46
ORDER 4. 1. Atrophy and Debility Total, Class IV	53	11 18	1 1					2	2	\\ {7}			3				4	5	13	24		65
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE. 1. Fractures & Contusions 2. Wounds { a. Gunshot b. Cuts} 3. Burns and Scalds 3a. Sunstroke 4. Poison 4a. Bite of Snakeor Insect 5. Drowning 6. Suffocation 7. Otherwise	1 	2		1		1 1 	1 1 			 1 	 1 1 2	 1 1 2	 1	3 3	1		2 2		1 			11 2 4 1 1 3 3 3 25
ORDER 3.—HOMICIDE. 1. Murder 2. Menslaughter	3																					3
Order 4.—Suicide. 1. Wounds { Gunshot Cut, Stab,&c 2. Poison 3. Drowning 4. Hanging 5. Otherwise													 1 									3 1
ORDER 5.—EXECUTION. 1. Hanging																						
Violent Deaths (not classed) (Opene Verdicts—Found drowned, &c.)				•••						1	1		1									3
Total, Class V	8	2		1		2	2			2	3	2	3	3	1		2		1			32
Causes not specified or ill-defined							_1		1	1	2		2	3			2				5	17
Grand Totals	268	93	16	9	7	19	11	25	49	57	38	47	53	46	42	24	50	48	25	51	5	983

E 3.

Deaths from all causes, of Both Sexes, at different ages, registered in New South Wales, from 1st January to 31st December, 1881.

Ages not specified 60 to 65 years. 70 years. 75 years. years and upwards. 40 years. vears to 55 years to 60 years 20 years. to 30 years 10 to 15 years 25 years Under 1 year 5 to 10 years 2 to 3 years. 3 to 4 years. 1 to 2 years. 4 to 5 years. CAUSES OF DEATH. 45 00 35 65 to 7 to 1 45 to 15 to 20 to 30 to 35 to 0 40 t 50 1 20 55 CLASS I -ORDER 1. 3 1 1 1 2 6 Measles 3 1 Scarlatina 2 1 3. 5 ··· ··· 3 9 3a. Diphtheria 1 1 1 1 2 2 7 3 3 3 3 16 1 1 Whooping-cough .. 5 1 1 Typhoid (and Infantile Fever) Erysipelas 7. 6 9 1 1 58 2 1 2 5 1 6 14 8 3 2 2 2 1 2 1 2 3 1 Metria 10. Carbuncle 11. Influenza 1 11 2 1 12. Dysentery 2 2 ... 1 2 1 3 1 2 3 2 4 141 13. Diarrhœa 78 30 1 ··· 1 1 2 13 14. Cholera 8 1 1 15. Ague 16. Remittent Fever 2 1 1 1 1 1 1 1 2 1 10 Rheumatism 1 1 1 18. Pyæmia 6 9 13 3 3 312 8 104 50 15 7 7 16 4 9 19 16 6 8 5 4 ORDER 2. 1. Syphilis 3 1 1 5 2. Stricture of the Urethra 3. Hydrophobia..... ... 4. Glanders 3 1 1 5 ... ORDER 3. 1. Privation 1 2. Want of Breast-milk ... 16 2 18 1 2 3. Purpura and Scurvy Alcoholisma. Del. Tremens... 5 14 3 1 6 2 b. Intemperance... 2 2 4 9 6 8 3 3 46 ... 1 5. Rickets 1 2 1 2 3 7 14 7 6 9 4 6 1 2 81 ... ORDER 4. 1 1 2 2a. Hydatid 2 3 1 2 53 Total, Class I..... 125 7 401 16 7 16 4 9 21 20 13 22 12 12 17 13 19 4 8 3 CLASS II .- ORDER 1. 1. Gout 1 1 2 1 3 4 Dropsy 1 3 2 3 29 5 ... 3 3. Cancer 1 2 1 5 10 4 5 4 44 ... ï ... 2 1 3a. Tumour 10 ... 3 2 1 3b. Polypus₂ 1 5. Mortification 1 1 2 8 6 4 86 1 1 3 3 10 11 14 6 10 3 3 ... ORDER 2. 1. Scrofula 2 1 1 2 Tabes Mesenterica ... 8 2 28 41 1 7 2 1 3 2 10 234 2 12 36 36 27 38 25 20 13 49 1 1 4 1 1 1 4 4. Hydrocephalus...... 1 3 4a. Abscess 1 1 2 7 293 12 2 1 3 2 13 38 37 28 38 25 21 14 11 4 1 Total, Class II. ... 7 379 34 13 35 28 15 14 4 4 1 2 3 3 16 39 40 31 41 32 17

E 3—continued.

		1	1	11/1/				100	A sandar	-140 4												
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Agesnotspecified	Total.
CLASS III.—ORDER 1. 1. Cephalitis 2. Apoplexy 3. Paralysis	9	15	4	1	3	4	3 1	3 1	2 1 2	2 1 2	1 3 1	1 5	 8 2	7	7 3	 8 3	11 7	10 4	4	8		48 74 30
4. Insanity																			100	4		
5. Chorea								1														1
7. Convulsions	90	17	3	1	1	2	***	3	2	4	2	4	5	2	2	1	1	1			•••	27
8. Brain Disease, &c	5	1					1	1	5	1	1	1	3	3	4	2	2	4	2	1		37
	104	33	7	2	4	6	5	-	10	10	-		10	10	10	7.4		10	-	10	-	001
	101		-				9	9	12	10	8	11	18	13	16	14	21	19	6	13	•••	331
ORDER 2. 1. Pericarditis											1		2 2			1	1	1				6
2. Aneurism					1	1	2	3	1 4	5	1 5	1 13	2 11	6	7.0	1 3	1 3	9	1	6		9 89
										- 3	- 0	19	11		16	3	-	9		-0		- 03
					1	1	2	3	5	5	7	14	15	8	16	5	5	10	1	6		104
ORDER 3.	100	1	The many of the same of the sa	-				1	-		plant and	-		-		Total years				A	7	
1. Larvngitis		1	1						1													3
2. Bronchitis		9	1	1	1	1	1	1		3	2	4		5	6	4	5	4	3	14	1	120
3. Pleurisy	1 14	10	2	2	1	3	2	1	3	7	5	7	5	3 8	1 5	2	4	2	3	2		7 88
4aCongestion of the Lungs		10		-	-		-	1	0	,	0	1	0	0	0	2	4	4	9	4	•••	00
-Pulmonary	12	3	1	1		1				1	3	2				1	1	1		1		28
5. Asthma 6. Lung Disease, &c	1	1		1								1	1	1	1		•••		2	1		7 3
						-					-			-					:::			
	82	24	5	5	2	5	3	3	4	11	10	15	6	17	13	7	10	7	8	18	1	256
ORDER 4.											100 M. C. C.	-		304	-		14		Que 10.00 (14.			
1. Gastritis	16	4	1							2	1		1			1	1					27
2. Enteritis	28	4	2			2	1	1	1 2	3		2	1 2	2	1		1			,		47 13
4. Ascites						1			1	1	1		1	1	1							7
5. Ulceration of Intestines									2	1												3
6. Hernia	4	1											1	2		2	2	1		ï	•••	5 9
8. Intussusception	2																					2
9. Stricture of Intestines									1	1						1			•••			3
10. Fistula 11. Stomach Disease, &c	1									1			1	1						1		5
12. Pancreas Disease, &c																					,	
13. Hepatitis	3	1									2	1		1	3	1	2	1	1			12
15. Liver Disease, &c		1								1		3	1	3	4	3	2	1				18
16. Spleen Disease, &c																						
	57	10	3			3	1	2	7	13	4	6	8	10	10	8	8	4	1	2		157
	70.00	-		-	-		-	-			-	-		-			-					
ORDER 5.							1							1			1					3
2. Ischuria																			1			1
3. Nephria							1	1	1	5	5	6	1	8	4	3	1	6	1	1		44
4. Diabetes													1		1	1						3 1
6. Cystitis								1						1	1		1					4
7. Kidney Disease, &c									1	1	1	5	2	3	3	1			1			18
						,	2	2	2	6	6	11	5	13	9	5	3	6	3	1		74
ORDER 6.				-	7 7 7	-	77.77	-			W. W. W.	-			-		-	10-2 1 3 7	-	7.44		
1. Ovarian Dropsy																						
2. Uterus Disease, &c									1													1
	-						-		1													1
																						-
ORDER 7.														1								1
1. Arthritis													1	1								1
2. Joint Disease, &c															1		1					2
				-			-		- 1				1	1	1		1	10.00 Y 10.		1000	-	4
Brown Control of the																						- T
ORDER 8.																						
1. Phlegmon																1		1				2
2. Ulcer	1																					ī
	-	-											1		-	1	-	1				3
Total, Class III	244	67	15	7	7	15	13	19	31	45	35	57	5 3	62	65	40	48	47	19	40	1	930
Total, Class III						1			-			132 124	911		1	200		ne se es				

E 3—continued.

Crass IV.—Oburs 1. 1. Premature Beth	E 3—continuea.																						
1. Persassava Birki	CAUSES OF DEATH.	Under 1 year.	60	60	20	4 to 5 years.	5 to 10 years.	10 to 15 years.	to 20		25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.		50 to 55 years.	55 to 60 years.		to	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
Care	1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations	7 1 5																					7 1 5 19
1. Paramenia 2. Childbirth (see Metria) 2. Childbirth (see Metria) 3.		65	9																	•••	•••	•••	74
ORDER 3. ORDER 4. ORDER 4. ORDER 4. ORDER 5. ORDER 6. ORDER 5. ORDER 6. ORDER 6.	1. Paramenia										7					-				0000	1000		17
1. Old Age									2	2	7	2	1	3								•••	17
1. Attophy and Debitity 126 16 2									•••									4	9	19	31		63
CASS V C		126	16	2			•••		-												-		
Deep to Residence 1	Total, Class IV	191	25	2					2	2	7	2	1	3				4	9	19	31		298
ORDER 2.— VIOLENT DEATHS IN BATTLE. 1. Gunshot Wounds	DENT OR NEGLIGENCE. 1. Fractures & Contusions 2. Wounds $\begin{cases} a$. Gunshot 2. Wounds $\begin{cases} b \end{cases}$. Cuts 3. Burns and Scalds 4. Poison 4. Poison 4. Bite of Snake or Insect 5. Drowning 6. Suffocation 7. Otherwise (Shock,	1 1 6	3 1 	2	2		 1 1	1		 1 4	 1 1 2	2 3	 1 1 	 1 	 1 2 1				 1 				5 9 7 1 12 9
VIOLENT DEATHS IN BATTLE: 1. Gunshot Wounds		9	4	3	4	2	3	4	4	14	11	11	14	15	13	9	5	4	5	1	2		137
ORDER 3.—HOMICIDE. 5	VIOLENT DEATHS IN BATTLE. 1. Gunshot Wounds 2. Sword and Bayonet Wounds	•••																•••			,		
1. Murder 5													- 17		****								
1. Wounds {Gunshot Cut, Stab,&c	1. Murder			••••	•••			1	1			1				1							4
ORDER 5.—EXECUTION. 1. Hanging 1. In the state of the state o	1. Wounds { Gunshot Cut, Stab, &c 2. Poison 3. Drowning 4. Hanging		•••							1 	1 		•••	1 1			 1 1				 1 		3 2 2 2 3
1. Hanging										1	1	1	2	3	1		3				1	·	13
(Open Verdicts—Found drowned, &c.) 1 1 1 4 5 4 5 2 2 1 1 27 Total, Class V 14 5 3 4 2 4 5 5 15 16 18 20 23 16 13 9 4 6 1 4 187 Causes not specified or ill-defined 1 2 2 5 1 8 6 4 2 3 17 51		1														1							1
Causes not specified or ill-defined	(Open Verdicts—Found		1				1				4	5.	4	5	2	. 2	1		1		1990		27
Causes not specified or ill- defined	Total, Class V	14	5	3	4	2	4	5	5	15	16	18	20	23	16	13	9	4	6	1	4		187
Grand Total 608 163 40 19 18 38 26 51 110 130 104 142 134 128 127 81 93 80 54 82 18 2246	Causes not specified or ill-				2			-														7 638	51
	GRAND TOTAL	608	163	40	19	18	38	26	51	110	130	104	142	134	128	127	81	93	80	54	82	18	2246

F 1.

DEATHS from all causes, of Males, at different ages, registered in Suburban Districts, from 1st January to 31st December, 1881.

	(1)		-			- 0	100 -	Dece		1, 10						200	, 0	,	1		-	,
CAUSES OF DEATH,	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total,
																			V			
CLASS I.—ORDER 1.																				190		
1. Small-pox					1				2		2	1							1		1	8
2. Measles	1					1																2
3. Scarlatina	2		1	2		1											1		1			8
4. Quinsy	1 2	1 1																				2 4
6. Whooping-cough	7	4		1																		12
7. Typhoid (and Infantile Fever)					1	2		1	1	2			1		1	1	1					11
8. Erysipelas	2												1	1								4
9. Metria																						
11. Influenza	2																					2
12. Dysentery	60	3 13	1							1	1		2		1	1	1	1	1	1		10 81
14. Cholera	8	1		y																		9
15. Ague 16. Remittent Fever						1												1				1 1
17. Rheumatism						1				1		1	. 1		1 1	1			1	1		8 1
10. 1 yanna																			7			
	88	23	2	4	2	6		1	3	4	3	2	5	1	4	3	3	2	4	3	1	164
ORDER 2.		-																				2
1. Syphilis	2	1											1									3
3. Hydrophobia																						
4. Glanders			•••																			
	2	1											1									4
ORDER 3.							1											12.5				1
1. Privation	12				1																	12
3. Purpura and Scurvy																						
4. Alcoholism— a Del. Tremens																						
b Intemperance											2			1	1						1	5
	12				1						2			1	1						1	18
ORDER 4.							1	77.7														
1. Thrush	2																					2
2. Worms, &c													1									1
	2	-			-	-	-		-	-			1				1:3				7.1	3
	15 15 15			•••							-		_			3	100	2		3	2	1 1 1 1 1 1
Total, Class I	104	24	2	4	3	6		1	3	4	5	2	7	2	5	3	3		4	3		189
Court II O																						
CLASS II.—ORDER 1.		1															-		7			
1. Gout	1												2	2	1	1	1	1	1	1		10
2. Dropsy											1	1	2	3	4	1	1	1	3			17 2
3a. Tumour	1																					
4. Noma								1														1
5. Mortification																						
	2							1			1	1	4	5	5	3	2	2	5	1		32
ORDER 2.			1.44			1																0
1. Scrofula		14																	,			3 24
2. Tabes Mesenterica 3. Phthisis	-	1				1	1	5	9	11	13	20	10	13	3	7	1	2	1			101
3a. Hæmoptysis		4	···			1													1			10
4. Hydrocephalus	1	4														1		1				3
	21	19	1			2	1	5	9	11	13	20	10	13	3	8	1	3	2			142
		-	-		-	2	1	6	9	11	14	21	14	18	8	11	3	5	7	1		174
Total, Class II	23	19	1				1	0		11	1		1	1								TIE
	-		1										100									

F 1—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total,
CLASS III.—ORDER 1. 1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c	13 68 1	2 10	2		1	2 2 	1 1 	 2 1	 	1 1 1 	 1	1 1 	2 1 1 1	2 3 1 3	2 2 	 1	2 2 2 1	5 3 1	4	2		23 20 9 1 11 81 13
	82	12	4	1	2	4	2	3	1	3	1	2	5	9	4	2	5	9	5	2	•••	158
ORDER 2. 1. Pericarditis	3	 1 1				 1 1	 1 1		 1 1	3	2	 2 2	1 6 7	 8 8	 12 12	4 4	4	 1 1	1 3 4	 1 1		2 53 55
ORDER 3. 1. Laryngitis	23 15 14	7 3 4	 1 3 2	1 2 2	i i 	2 1 		 1	 1	 3 1	 2 1 2 	1 1 3 	1 1 2 	3	 1 4	 3 1 1 	4 1	 3 2	 1 2 2	5		58 4 50 28
6. Lung Disease, &c	52	14	6	5	1	3		$\frac{\cdots}{1}$	1	4	5	 5	4	5	··· 5	 5	9	5	5	··· 5		140
ORDER 4. 1. Gastritis		1 5 	2			2 1		1 1 	i	 i		1 	2 	1 	··· 2 ··· ·· ·· ·· ·· ·· ·· ·· ·· ·· ··			1 1	 2 			12 41 3 2 1
6. Hernia 7. Ileus 8. Intussusception 9. Stricture of Intestines 10. Fistula 11. Stomach Disease, &c 12. Pancreas Disease, &c	2										 1		 1									2
13. Hepatitis 14. Jaundice 15. Liver Discase, &c 16. Spleen Discase, &c	3 39	6	2			3		1 3	 1		1	1 1 3	1 2 	 4 5	3 6	1 1 2	1 1 	 	 		1	7 3 12 86
ORDER 5. 1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c	 1						 1 	1 1 	 1 		1	3 		 1 1				 1	 1 	 1 2		1 10 5 3
	1	1					1	2	1		2	3		2	1			1	1	3		19
ORDER 6. 1. Ovarian Dropsy 2. Uterus Disease, &c								-,,				•••				•••						***
ORDER 7. 1. Arthritis		•••						-/														•••
ORDER 8. 1. Phlegmon													 1		 1 							 2 1
									,				1		1				1			3
Total, Class III	177	34	12	6	3	11	4	9	5	11	11	15	23	29	29	13	21	18	18	11	1	461

F 1—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Agesnotspecified.	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations	23 1 1 1																					23 1 1 1 1
5. Teething	16 42	14																				30 56
ORDER 3.																	13	1	7	13	2	36
ORDER 4. 1. Atrophy and Debility	94	19		1								1									1	114
Total, Class IV	136	33		1													13	1	7	13	2	206
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE. 1. Fractures & Contusions 2. Wounds { a Gunshot b Cuts	 1 1 	 1	1 	2 1 			 1 	1 1	3	3 2	 1	1 2	2 2 2	2 1	3 1 1	4	3	1		1 1 	1 1	25 5 4 9 3
	2	1	1	3			1	2	3	5	1	3	4	3	5	4	3	1		2	2	46
ORDER 2.— VIOLENT DEATHS IN BATTLE. 1. Gunshot Wounds 2. Sword and Bayonet. Wounds 3. Otherwise																						
ORDRE 3.—HOMICIDE. 1. Murder 2. Manslaughter	1 1 2																					1 1 2
Order 4.—Suicide. 1. Wounds { Gunshot Cut, Stab, &c 2. Poison 3. Drowning 4. Hanging 5. Otherwise											1 1 	 1 	1 	1 1 	 1 							1 2 1 1 2
Order 5.—Execution. 1. Hanging																						
Violent Deaths (not classed)																						
Total, Class V.	4	1	1	3			1	2	3	5	3	4	5	5	6	4	3	1		2	2	55
Sudden Deaths (cause unascertained)		.:																				
Causes not specified or ill-defined										1												1
				100000	6	19	6	18	20	32	33	42	49	54	48	31	43	27	36	30	7	1,086

F 2.

Deaths from all causes, of Females, at different ages, registered in Suburban Districts, from 1st January to 31st December, 1881.

							150		1				1) g	
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1. 1. Small-pox 1α. Chicken-pox	1					2			2				1				•••	•••	•••			6
Measles Scarlatina Diphtheria Quinsy	3	1	2	•••	 1	1			1		•••						•••					6 1 2
5. Croup6. Whooping-cough7. Typhoid (and Infantile	9	1 5	1 3	2 1	1 1	1 2		5					, ,,					•••				6 20 24
Fever)	4	1	2	1	1		4			1 1	1							•••		•••		6 1
11. Influenza 12. Dysentery 13. Diarrhœa 14. Cholera	1 4 53 5	1 14 2	4			 1 1									 1		1		1	1		1 6 75 10
15. Ague 16. Remittent Fever 17. Rheumatism 18. Pyæmia	1	 1				 	 1	 1	1 	 1		 1										3 4
16. Lyamia	82	26	12	4	4	8	5	6	5	6	2	2	2	1	1	1	1	1	1	1		171
			-/ -/		1								~ 14	- X				1. /				
ORDER 2. 1. Syphilis																						
4. Glanders								•••														
							•••				••••					•••			••••	•••	••••	•••
ORDER 3. 1. Privation	12									1.1.												 12
4. Alcoholism— a. Del. Tremens b. Intemperance									*			3	 1		·							4
	12	ļ										3	1									16
ORDER 4. 1. Thrush	7									•••	 1						•••					7 1
	7										1				•••				•••	•••	•••	8
Total, Class I	101	26	12	4	4	8	5	6	5	6	3,	5	3	1	1	1	1	1	1	1		195
Class II.—Order 1. 1. Gout											3	 2 1		1 2	2	2 2		 2 2	 1 1	 2 1		 12 18
3a. Tumour									•••					1	1			2		2		6
4. Noma	/											1									•••	1
			1				•••		···		3	4	1	4	6	4	1	6	2	5		37
Order 2. 1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3a. Hæmoptysis	18 7	10 2	 1	1		2	2	 5	14	8	 5	10	7	 7	4	 1	 3 1					1 28 79 1
4. Hydrocephalus	2	1												1								3 1
	28	13	1	1		2	2	5	14	8	5	10	7	8	4	1 1	4		./			113
Total, Class II	28	13	2	1		2	2	5	14	8	8	14	8	12	10	5	5	6	2	5		150

F 2-continued.

1			100				T	2-	conce	naeu												
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1. 1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c	45	3 8	3 5	1	1	1 1		 1 2 1	1 1 1	1 1 	 1	 2 1	 1 2 1 3	 2 3 2	3 3 1	1 2 	 1 5	 1 	 3 1	 2 	 1 	25 15 13 6 58 18
	59	11	8	1	1	2	1	4	3	2	2	3	7	7	7	3	6	1	4	2	1	135
ORDER 2. 1. Pericarditis 2. Aneurism 3. Heart Disease, &c		1		3		2	3	 2 2		2 2	4	7	 1	 5 	1 3	7	 5 5	2	3	3	 1 1	1 54 55
Order 3. 1. Laryngitis 2. Bronchitis 3. Pleurisy 4. Pneumonia 4a. Congestion of the Lungs—Pulmonary 5. Asthma 6. Lung Disease, &c.	21 5 11	 4 11 4 	 2 5 1 8	3	 1 	1 1 2	 1 1 	 1 1 	 1 1 	 1 1 	2 1 3	 1 3 1 	2 2	1 1 2	 1 1 2	 1 	 1 1 	3 2 1 6	 1 2 1 	5 1 		49 5 36 22 3
Order 4. 1. Gastritis 2. Enteritis 3. Peritonitis 4. Ascites 5. Ulceration of Intestines 6. Hernia 7. Heus 8. Intussusception 9. Stricture of Intestines 10. Fistula 11. Stomach Disease, &c 12. Pancreas Disease, &c 13. Hepatitis 14. Jaundice 15. Liver Disease, &c 16. Spleen Disease, &c	14 1 1 1 1 3	6 5	2 1			1 2	1 	1 1 1	1 5 2	 1 	 	2 1 	1 3 1 5	2 1	2 1 1 2 1 2 1 2	 2 4	 	 2 1 1 1 1 1 	1 1	1 1 1		24 38 10 4 1 1 1 5 5 8 15
	31	11	3			3	1	2	8	1	1	5	10	6	9	6	2	7	3	3		112
ORDER 5. 1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c							2	 1 	1 1 	1 2 		 2 	 1 	 1 1	 1 1		 2 					4 10 1 2
							2	1	2	3		2	1	2	2		2					17
Order 6. 1. Ovarian Dropsy 2. Uterus Disease, &c											1 1 2	2 2				2 2						3 3
ORDER 7. 1. Arthritis							1 1 -2															1 1
Order 8. 1. Phlegmon		 1 																				1 1
	1	1													•••			•••				2
Total, Class III	128	43	19	11	2	9	11	11	15	10	12	24	21	22	24	19	17	16	14	14	2	444

F 2—continued

						174				18975				,	-		1	1	1		1	1
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	14 6 13	7									·::	····				::: ::: :::						14 6 20 40
ORDER 2. 1. Paramenia									6	6	 2 2		··· 1 1								•••	16
ORDER 3. 1. Old Age	;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	7	<u></u>			•••			1								6	4	7	22	•••	39
Order 4. 1. Atrophy and Debility Total, Class IV	97	17 24							6	6	2	1	1				6	4	7	22		209
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE. 1. Fractures & Contusions 2. Wounds { a. Gunshot b. Cuts 3. Burns and Scalds 3a. Sunstroke 4. Poison 4a. Bite of Snake or Insect b. Drowning 6. Suffocation 7. Otherwise	1 2 3	1 1 1 	 1			1 1 2			1 1	1		2 1 3	1 1	2 2	1 				1 1			11 1 4 2 18
Order 3.—Homicide. 1. Murder 2. Manslaughter	1																				·	
ORDER 4.—SUICIDE. 1. Wounds { Gunshot { Cut, Stab,&e } } 2. Poison													 1						 			1 1 1
Order 5.—Execution. 1. Hanging								1		···			1									
Violent Deaths (not classed)												4							•••		/	
Total, Class V		2	1			2		1	1	1	•••	3	2	2	1	•••			1			21
Causes not specified or ill-defined	1		34	16	6	21	18	23	41	31	25	47	35	37	36	25	29	27	25	42	2	1,020
ZOTAIS	332	100	94	10	0	21	10	23	41	91	20	47	90	97	30	20	20	21	20	10		-,020

F 3.

DEATHS from all causes, of Both Sexes, at different ages, registered in the Suburban Districts, from 1st January to 31st December, 1881.

1		1	1)		1			1	,		1		4								
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	. 35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
						1														1		1
CLASS I.—ORDER 1.															1							
1. Small-pox					1				4		2	1	1						1		1	14
2. Measles	4	1	2			1										1				1		8
3. Scarlatina						1				1						1						1
3a. Diphtheria	2	1	1	2	1	1			1								1		1			10
5. Croup	3	2	1	3	1															1		10
6. Whooping-cough	16	9	3	2	- 1	1																32
7. Typhoid (and Infantile Fever)		1	2	1	2	4	4	0	2			1	,	1	1	0	1					35
8. Erysipelas	6					4	4	6	2,	5	1 1	1	1 1	1 1	1	2	1					10
9. Metria										1		1.1.										1
10. Carbuncle	3																					
12. Dysentery	7	4									1		2	1			1		1	1		3 16
13. Diarrhea	113	27	5			1				1	1				2	1	2	1	1	2		156
14. Cholera	13	3				1							1					1				19
16. Remittent Fever	1	1				1			1				1					1				4
17. Rheumatism						1	1	1		2		2	1		1	1			1	1	,	12
18. Pyæmia															1							1
	170	49	14	8	6	14	5	7	8	10	5	4	7	2	5	4	4	3	5	4	1	335
ORDER 2.	16.9		100											1707		3.1				73.00	7.77	1 // 1
1. Syphilis	2	1																	,			3
2. Stricture of the Urethra 3. Hydrophobia													1									1
4. Glanders																					A	
	2	1		-					-			-	-		-	-		-				
				,				11					1			-1.						4
ORDER 3.																						
1. Privation	24				1																	1 24
3. Purpura and Scurvy																						29
4. Alcoholism—																						
a. Del. Tremens b. Intemperance											2	3	1	1	1						ï	9
5. Rickets					17									1						***		
	24				1		-	-	7, 4		2	3	1	1	1						1	34
																						94
ORDER 4.	0																					9
2. Worms, &c	9																					
2a. Hydatid											1		1									2
	9										1		1									11
Total, Class I	205	50	14		7	14	5	7	8	10	8	7	10	3	6	4	4	3	5	4	2	384
Total, Class 1	200		14	-	-	14				10										-		904
CLASS II.—ORDER 1.																	1		1			2
2. Dropsy	1											2	2	3	3	3		3	2	3		22
3. Cancer			1								4	2	3	5	7	3	2	3	4	1		35
3a. Tumour	1													1	1	1	 	2		2		8
3b. Polypus								1														1
5. Mortification												1										1
	2		1					1			4	5	5	9	11	7	3	8	7	6		69
0		-					1 /1											-				1
ORDER 2.	4																					4
2. Tabes Mesenterica	28	24								7.0				,								52
3. Phthisis	10	3	1	1		3	3	10	23	19	18	30	17	20	7	8	4	2	1			180
3a. Hæmoptysis 4. Hydrocephalus	6	5	1			1																13
4a. Abscess	1											,		1		1		1				4
	49	32	2	1		4	3	10	23	19	18	30	17	21	7	9	5	3	2			255
								7.	20	10	00	0.5	00	00	10	10		11				
Total, Class II	51	32	3	1		4	3	11	23	19	22	35	22	30	18	16	8	11	9	6		324
		1																	100			

F 3—continued.

	1	(1							1		1		1	1	1	1	1	170	1
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
Class III.—Order 1. 1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy. 7. Convulsions	27 113	5 18	5 7	1 1	2	3 2	1	 1 4	1 1 	2 1 2	 1	1 2 1	3 3 1 1	 4 6 1	.: 5 5 .: .: .:	 1 2 1	3 2	6 3 	7	 2 2 		48 35 22 1 17 139
8. Brain Disease, &c	1		•••		1	1	1	2	2	•••	2	1	4	5	1	1	6	1	2	••••		31
	141	23	12	2	3	6	3	7	4	5	3	5	12	16	11	5	11	10	9	4	1	293
ORDER 2. 1. Pericarditis	3	2		3		3	 4	2	 1	 5	6	9	 1 7	13	1 15	 11	9	3	 1 6	4	 1	1 2 107
	3	2	•••	3		3	4	2	1	5	6	9	8	13	16	11	9	3	7	4	1	110
ORDER 3. 1. Laryngitis	44 20 25	111 14 8 	3 8 3 	5 5 	 1 1 	3 1 	 1	 1 2	,2	 1 4 1 	 4 1 3 	 2 1 6 1 	 3 1 2 	3 4	2 4 1 	 4 1 1 	5 1 4 1 	6 4	1 1 4 3 	10		 107 9 86 50 3
	89	33	14	12	2	5	2	3	3	6	8	10	6	7	7	6	11	11	9	11		255
ORDER 4. 1. Gastritis	21 36	7 10	2 3			1 4		2 2	1 6 2	2		3	1 5	 3 1	 2 2			1 2	1 2	1 1		36 79 13
4. Ascites 5. Ulceration of Intestines 6. Hernia 7. Ileus 8. Intussusception	3					1									1 			2 1 1 	1	 	1	6 2 1 3
9. Stricture of Intestines 10. Fistula	 1 1					•••					 1 		 2 1	 1	 1 3		1 2	1	1			 8 12
15. Liver Disease, &c 16. Spleen Disease, &c											1	2	7	1 5	5	5	2	2				27
20. opicen Discuse, we	70	17	5			6	1	 4	9	2		8	16	11	 15	 8	5	10	 5	3	1	198
ORDER 5. 1. Nephritis 2. Ischuria							2		1	1	1											5
3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c		 1					1	2 1	2	2	1	5	1	2 2	1 2		2	1	1	1 2		20 1 5 5
	1	1				,,,	3	3	3	3	2	5	1	4	3		2	1	1	3		36
Order 6. 1. Ovarian Dropsy 2. Uterus Disease, &c											1 1	2	•••			2						3 3
	•••										2	2				2						6
ORDER 7. 1. Arthritis						•••	1 1			•••												₁
							2															2
Order 8. 1. Phlegmon		"i											ï									 3 2
	1	1											1		1				1			5
Total, Class III	305	77	31	17	5	20	15	19	20	21	23	39	44	51	53	32	38	35	32	25	3	905

F 3—continued.

										nuea	•		-1819				1				7.00	,
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Agesnotspecifie	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	1 1 7																					37 1 1 7 50
	75	21																				96
ORDER 2. 1. Paramenia									6	6	2	 1	 1									16
									6	6	2	1	1									. 16
ORDER 3. 1. Old Age										,							19	5	14	35	2	75
ORDER 4. 1. Atrophy and Debility Total, Class IV	-	36		1	.,.			,											 14	35		228
		57		1	•••				6	6	2	1	1				19	9	14			410
CLASS V.—ORDER 1.—ACCIDENT OR NEGLIGENCE. 1. Fractures & Contusions 2. Wounds { a. Gunshot} 3. Burns and Scalds 3a. Sunstroke 4. Poison 4a. Bite of Snake or Insect	1 1 1	 1 	 1 	 2 		1	 1	1	4	4 2		3	3	4	4	4	3	1	1	1 1 	1	36 6 4
5. Drowning		1	1	1		1		1			1	3	2	1	1							13
6. Suffocation	2	1	2	3		2	1	2	4	6	1	6	5	5	1 6	4	3	1	 	2	1 2	5 64
ORDER 2.— VIOLENT DEATHS IN BATTLE. 1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise						 																
1. Murder																						$\begin{bmatrix} 2 \\ 1 \end{bmatrix}$
2. Manslaughter	1			•••	•••																	-
	3																					3
Order 4.—Suicide. 1. Wounds { Gunshot Cut, Stab, &c 2. Poison 3. Drowning 4. Hanging 5. Otherwise											 1 1 		1 1 	1 1 								1 2 1 2 2 1
								1			2	1	2	2	1							9
Order 5.—Execution. 1. Hanging													`					· · ·				
Violent Deaths not classed																						
Total, Class V	8	3	2	3		2	1	3	4	6	3	7	7	7	7	4	3	1	1	2	2	76
Causes not specified or ill-defined	1									1												2
GRAND TOTAL	836	219	50	30	12	40	24	40	61	63	58	89	84	91	84	56	72	55	61	72	9	2106

G 1.

Deaths from all causes, of Males, at different ages, registered in the Country Districts, from 1st January to 31st December, 1881.

							9180	Dec	ешь	er, 1	001.							1	1		1 77	1
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5-to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and unwards.	Ages not specified	Total.
CLASS I.—ORDER 1. 1. Small-pox										,												
2. Measles 3. Scarlatina 3a. Diphtheria 4. Quinsy 5. Croup	22 3 	12 4 6	2 2 6 	2 9 5	 1 5 1 6	1 1 11 11 	2 5 	1	1	1		2	2	1	1		 1					42 12 51 1 53
6. Whooping-cough 7. Typhoid (and Infantile Fever) 8. Erysipelas 9. Metria	26 3 7 	7 7 1 	3 2 	3	1 1 	5 5 1 	7	7	16	15 1	6	6	3 1	2 4	2 3	 1 1	3	 1	2 1	1		91 22
10. Carbuncle 11. Influenza 12. Dysentery 13. Diarrhœa 14. Cholera 15. Ague	5	12 35 3	2 4 8 2	4 7 1	1 2	3	1		 1 1	1 1 	1 1 2 	1 2 2 1	2 2 2 2	1 2	5 3 	5 2 1	1 7 2 1	2 4 5 	3 5 6 	1 3 5 1		2 28 80 185 17 1
16. Remittent Fever 17. Rheumatism 18. Pyæmia	2 1 210	1 107	44	31	18	35	2 17	1 2 	1 20	19	1 1	1 1 16	3 15	1 1 	1	1 1 1 12	4 1 20	2	18	1		8 24 4
ORDER 2. 1. Syphilis								.4.			3	1 	***	3	1	2	 3 	2 		1 		8 11
ORDER 3.	3										3	1		3	1	2	3	2		1		19
1. Privation 2. Want of Breast-milk. 3. Purpura and Scurvy. 4. Alcoholism— a Del. Tremens. b Intemperance		1 							1	1	1	2	4	3 1	1	1 1	5 1	1 1			8	26 18 2 7
ORDER 4.	17	1							2	1	5	6	11	9	3 4	$-\frac{2}{4}$	3 9 —	4		2 2	9	84
1. Thrush 2. Worms, &c. 2a. Hydatid	10											 1	 1 1	 2 2	1	 1		:::		1		10 ₆
Total, Class I	240	108	44	31	18	35	17	11	22	20	20	1 24	27	27	$\frac{1}{25}$	19	32	20	18	15	9	782
CLASS II.—ORDER 1.																						
1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma	 1 	1 						2 1 1 		1 	2 2 2 	2 4 3	 9 	 5 6 	1 7 9 	 1 12 1 	 7 8 2 	10 12 2 	 6 11 1 	 5 10 1 	 1 	1 54 85 13
5. Mortification	2	1				1		1 5		1	6	$\frac{1}{10}$	13	$\frac{2}{13}$	1 18	14	17	$\frac{1}{25}$	18	1 17	1	9 162
ORDER 2. 1. Scrofula	25 10 8 5	20 1 5 1	 1	1 	 2 	 1 	2	 10 1	 26 	 39 2	 43 2	 43 3	 54 2	1 38 2 1	 23 2	 9 2	 5 2	 1 2	 3 	 2 	2	1 45 315 2 14 25
Total, Class II	48	27	1	1	2	1	2	11	26	41	45	46	56	42	25	11	7	3	3	2	2	402
Total, Class 11	50	28	1	1	2	2	2	16	26	42	51	56	69	55	43	25	24	28	21	19	3	564

G 1—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	'4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1. 1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c		8	3 2 7 2	3 1	2 2	3 4	3 2 1	1 1 1 3 2	1 5 1	3 2 2 1 2 3	1 5 1 4	1 2 8 2 	2 3 8 1 2 6	 4 10 3 2 6	1 4 8 3 6	5 6 5 	2 7 13 1 6 4	 4 11 1	5 13 1 3 6	7 14 4	 1 2	48 45 103 16 33 238 61
	214	44	14	4	4	8	6	8	7	13	13	17	22	25	22	18	33	16	28	25	3	544
Order 2. 1. Pericarditis					 1 1	1 3	2 4 6	4-	1 8 -9	1 4 5	9	 2 9 11	1 6 16 23	20 24 24	 4 25 29	23	1 28 29	26	1 13 14	 18 18	1 1	6 19 211 236
Order 3. 1. Laryngitis 2. Bronchitis 3. Pleurisy 4. Pneumonia 4a. Congestion of the Lungs—Pulmonary. 5. Asthma 6. Lung Disease, &c	2 76 39 14 1 2	3 21 13 9 	13 10 1 1 	 4 1 7 1 	1 1 1 1 4	7 2 16	 6 1	1 1 11 	 1 2 18 1 1 	3 1 9 3 2 	11 4	 2 1 16 1 4 25	3 2 19 3 2 1	 2 2 19 3 2	3 1 21 4 3 5	5 11 3 1 	1 17 2 14 7 2 3	 12 3 17 1 1	5 2 10 2 6 1 26	8 11 4 3 1 27	 2 1 3 	7 192 20 273 65 23 21 601
Order 4. 1. Gastritis 2. Enteritis 3. Peritonitis 4. Ascites 5. Ulceration of Intestines 6. Hernia 7. Ileus 8. Intussusception 9. Stricture of Intestines 10. Fistula 11. Stomach Disease, &c 12. Pancreas Disease, &c 13. Hepatitis 14. Jaundice 15. Liver Disease, &c 16. Spleen Disease, &c	12 40 4 1 3 2 2	2 13 2 1	2	2	1 1 1	1 3 4	2 3 1 1	5	1 5 2	1 1	1 2 2 1 1 1 1 1 1 1 1 1	3 1 2 1 7	4 2 1 1 1 3 12	3 2 1 2 1 1 8 18	3 2 3 9 17	1 3 2 1 2 2 3	1 4 1 1 2 5	3 2 2 3 1 4 4	2 1 1 3 2 1 1 1 1 1 1 1	3 1 1 2 1 3 1 3	1 1 1 2	34 98 23 3 11 6 15 19 5 45 2
ORDER 5. 1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c		1				 1 1 1 	 1 		2 1 3	 2 1 3	1 1	2 1 1 1 1	2 3 1 1	1 5 6	1 2 3 1 1	1 5 1 7	5 1 2 1	1 2 4 6 1 14	1 1 2 1 5	 1 8 6	1 	12 28 10 2 23 16
ORDER 7. 1. Arthritis							1 1		1			 1 1			 1 1	 1 1				" " " "		1 1 4
ORDER 8. 1. Phlegmon	 1 	1						"i … 1										"i …		 1 		 5 5
Total, Class III	413	110	41	20	11	40	28	35	55	42	50	67	99	101	114	84	130	106	84	98	16	1,744

G 1—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	77 2 9 37 125	 1 31 33																				77 1 2 10 68 158
ORDER 3. 1. Old Age	•••													\\.			54	47	90	254	1	446
ORDER 4. 1. Atrophy and Debility Total, Class IV	172 297	17 50									•••						54	47	90	254	 1	189 793
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE. 1. Fractures & Contusions 2. Wounds \{ \(\alpha \) Cuts	3	2 5 6 13	4 12 1 8 	4 1 2 5 2 	3 1 1 5	6 2 3 1 2 6 20	15 1 1 1 5 	16 2 5 23	23 1 1 12 1 38	20 1 1 10 32	20 1 1 1 1 5 1 	20 1 1 1 1 10 	11 1 1 9 1 23	27 1 9 2 	16 1 2 7 1 	11 1 1 1 1	17 1 7 2 	10 1 2 13	4 1 1 1 4 2 12	8 3 3 1 2 1 18	2 1 1 1 2 	239 9 1 35 14 16 4 113 16 1
ORDER 2.— VIOLENT DEATHS IN BATTLE. 1. Gunshot Wounds 2. Sword and Bayonet Wounds																				 		
Order 3.—Homicide. 1. Murder 2. Manslaughter					•••					1	1	2 1 3		1 1			1	1 1			1	8 1 9
Order 4.—Suicide. 1. Wounds { Gunshot { Cut, Stab, &c } } 2. Poison 3. Drowning 4. Hanging } 5. Otherwise									1 1 	1 1 1 3	 2 4 1	1 1 3 	 1 1 1 1 1	2 1 1 2 	$ \begin{array}{c c} 4 & 2 \\ 1 & 1 \\ & 2 \\ \hline 10 & 1 \end{array} $	1 1 3 	2 1	1 1 2 1	1	 1 	 2 1	12 8 5 5 18 8
Order 5.—Execution. 1. Hanging														1						,		1
Violent Deaths (not classed)																•••				•••		•••
Total, Class V	12	13	25	14	5	20	23	23	40	36	38	42	28	47	37	18	31	19	13	19	11	514
Sudden Deaths (cause un- ascertained)	•••																					
Causes not specified or ill-defined													1			****					6	7
GRAND TOTAL	1012	309	111	66	36	97	70 .	85	143	140	159	189	224	230	219	146	271	220	226	405	46	44 04

G 2.

ALES, at different ages, registered in the Country Districts, from 1st January to

Deaths from all causes, of Eemales, at different ages, registered in the Country Districts, from 1st January to 31st December, 1881.

							150.	Dece	HIDO	er, 18	301.								142			
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1. 1. Small-pox 1a. Chicken-pox 2. Measles 3. Scarlatina 3a. Diphtheria 4. Quinsy 5. Croup 6. Whooping-cough 7. Typhoid (and Infantile Fever) 8. Erysipelas 9. Metria 10. Carbuncle 11. Influenza 12. Dysentery 13. Diarrhœa 14. Cholera 15. Ague 16. Remittent Fever 17. Rheumatism 18. Pyæmia	1 10 2 6 13 45 6 4 2 19 74 5	7 3 5 1 12 8 2 2 6 6 31 1 2	3 3 6 7 3 3 2 2 2	1 2 8 1 5 4 4 3 5 1 1	1 1 1 6 4 3 2 1 1				 1 1 6 1 1 1 1 		1 7 1 1 1 1 2							 1 1 1 1 	 1 1 1 2			 1 32 14 62 2 46 66 82 10 6 1 7 46 129 9 1 6 18 6
	187	80	29	30	18	38	28	22	13	19	14	15	9	8	6	6	7	5	4	6		544
ORDER 2. 1. Syphilis	3																		::: :::			3
Order 3. 1. Privation	18 1				 1											 1		 	 	 		1 18 2 2 7
	19				1	;						2	3	2		1	1		1			30
Order 4. 1. Thrush	13 1 					1		2				:::										13 2 3
	14					1		2			.;;1						1					18
Total, Class I	223	80	29	30	19	39	28	24	13	19	14	17	12	10	6	7	9	5	5	6		595
CLASS II.—ORDER 1. 1. Gout		2 2		 1 		3 1 4		1 2 3	 1 	 1 1	 1 	 4 3 2 	 4 5 1 1 11	 4 8 3 1 16	5 9 3 	1 7 7 2 17	 3 4 1 1	 4 4 3	 6 7 1 14	2 3 		1 47 52 17 7 124
Order 2. 1. Serofula	-	16 2 4 	2 2			 1	1 9 10	10 2	25 	29 2 31	17 17	22	6	 6 1	3 1 4	2	2		 1	 1 1		2 42 137 12 9
Total, Class II	39	24	2	1		5	10	15	26	32	18	31	17	23	21	19	11	11	15	6		326
			1	1	LA].	1	1	1	1	1		1	100	1	1	1		1	1	1	

G 2-continued.

Class III				1460						,0,000	nueu				10000					200			
1. Cephalitis	CAUSES OF DEATH.	Under 1 year.	1 to 2 years.			4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	to	30 to 35 years.	35 to 40 years.	40 to 45 years.	2	50 to 55 years.	55 to 60 years.	to	to	70 to 75 years.	75 years and upwards.	Ages not specified.	Total,
Ouder 2	1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions	 157 1	36	2 5	 2 1	1 1	 2 2	1 4 2	1 3 1	2 2 1 5 	3	 2 3	3 2 2 4	1 1 1 1 2	7 1 3 1 5	4 2 2 	5 1 1 2	3 1 1 1 1	8 7 1	5 3	3	1 	45 37 28 6 1 29 199 28
1. Laryngitis	1. Pericarditis	3			2			3	5	3	12	7	9	6		9	1 10	1 11	8	5	5	1	5 117 122
6. Lung Disease, &c.	Laryngitis	66 31	28 2 13	9 1 11	4 8	1 2	9 1 5	2 1 4	1 1 10	1 6	2 10	6	3 9	5 10	2 1 8	3 3 7 2	5 1 9	8	2 4 2	5 1 1 2	4 2		6 156 16 165 38
2. Entertiss	6. Lung Disease, &c Order 4. 1. Gastritis	1 112 6	$\begin{array}{c c} 1 \\ \hline 46 \\ \hline \end{array}$	25	16	7	15	9	15	10	14	9	15	1 18	14	17	18	12	9	1 11	1 11	1	16 7 404 21
12. Panereas Disease, &c. 13. Hepatitis 14. Jaundice 1 2 15. Liver Disease, &c. 3 1 1 1 2 2 1 3 2 2 1 1 4 7 4 16. Spleen Disease, &c. 50 14 6 2 3 5 8 9 17 9 14 11 6 10 4 10 16 5 10 2 17. Nephritis 18. Hepatitis 19. Order 5. 11. Nephritis 11. Nephritis 12. Ischuria 13. In a second	3. Peritonitis 4. Ascites 5. Ulceration of Intestines 6. Hernia 7. Ileus 8. Intussusception 9. Stricture of Intestines 10. Fistula	1		1		1	1	3	2	8	3	5		1 1 		1 1 	1	1 	2 1 1 	1 1 			90 31 4 1 1 7
1. Nephritis 1 1 1 1 1 1 1 1 1 1 1	12. Pancreas Disease, &c 13. Hepatitis 14. Jaundice 15. Liver Disease, &c 16. Spleen Disease, &c	 1 3	 2 1 	 1 				 1	 2 1 2 	 2 	 1 	1 3	 3 2 	1 2 	 2 2 1	 1 1 	 2 1 4	 1 7 	"i … … …	4		· · · · · · · · · · · · · · · · · · ·	13 8 35
ORDER 6. 1. Ovarian Dropsy	1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis	• • • • • • • • • • • • • • • • • • • •	1					 1	2	1 			ï1 	3 1 		1 1 	 1 	3	1	 2 1 	1 1		4 1 16 3 1 1 1
*ORDER 7. 1. Arthritis 1a. Ostitis, Periostitis, &c. 2. Joint Disease, &c.	1. Ovarian Dropsy			•••			7				1 1	 2	4	 1	 1	 1			7				37 1 10
	1. Arthritis							 1	1	 1					•••								11 2 3
ORDER 8. 1. Phlegmon 2. Ulcer 3. Skin Disease, &c. 1	1. Phlegmon									 1		 1								 1 			2 1
Total, Class III 345 109 45 25 13 26 30 37 45 41 39 54 41 60 43 50 52 42 38 26 3 11	Total, Class III		-				100000						7	-			-	-			-		3 1164

G 2—continued-

	1	1	1	1	1	1	-	4		inue				7		,					1 2	
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	2 7	40														 						61 2 7 92
ORDER 2. 1. Paramenia								3	12	12	14	23	5								1	70
ORDER 3. 1. Old Age								3		12	14	23	5				27	13	37	93	1	171
Order 4. 1. Atrophy and Debility Total, Class IV	-	13	4					3	12	12	14	23	5				27	13	37	93	2	160
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE 1. Fractures & Contusions 2. Wounds { a. Gunshot b. Cuts 3. Burns and Scalds 3a. Sunstroke 4. Poison 4a. Bite of Snake or Insect 5. Drowning 6. Suffocation 7. Otherwise	1 3 1 2 5		2 6 2 1 4 	1 1 5 1 2 	 4 1 1 	4 1 7 1 1	1 1 1 1 	3 5 1 1 	1 1 3	1 1 	1 1 1 1 3	2 2	1 1	1 1 1 1 4	2 1 3	2 1 	3 1 2 2 	 1 1 1 	1 	2 1 3	1 1 3 3 5	29 1 2 42 9 11 1, 21 5 2
ORDER 3.—HOMICIDE. 1. Murder																/						1
ORDER 4.—SUICIDE. 1. Wounds { Gunshot Cut, Stab,&c 2. Poison 3. Drowning 4. Hanging 5. Otherwise														 1 	 1 							1 1 1 1 2
ORDER 5.—EXECUTION. 1. Hanging											,		4				· · · · · ·		W.			
Violent Deaths (not classed)																						
Total, Class V	13	10	15	10	6	14	5	10	4	2	4	3	2	5	4,	3	8	2	1	3	5	129
Causes not specified or ill-defined	,								1						1						1	3
GRAND TOTALS	885	276	95	66	38	84	73	89	101	106	89	128	77	98	75	79	107	73	96	134	11	2,780

G 3.

Deaths from all causes, of Both Sexes, at different ages, registered in the Country Districts, from 1st January to 31st December, 1881.

						to	31s	t De	cem	ber,	1881						N.X.					
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1. 1. Small-pox 1a. Chicken-pox 2. Measles 3. Scarlatina 3a. Diphtheria 4. Quinsy 5. Croup 6. Whooping-cough 7. Typhoid (and Infantile Fever) 8. Erysipelas 9. Metria 10. Carbuncle 11. Influenza 12. Dysentery 13. Diarrhosa 14. Cholera 15. Ague 16. Remittent Fever 17. Rheumatism	 1 32 2 9 20 71 13 37 179 10 2	19 7 11 1 29 15 9 1 2 18 66 64 4 4	5 5 12 200 66 5 2 6 6 10 2	1 4 17 1 10 4 6 4 12 1 1 1		4 2 25 10 8 13 1 6 4			2 1 22 1 1 22 1 1		1 		2 1 7 1 2 2 2 5	1 2 4 1 1 4 2 1 1 3	3 5 4 6 6 4 1 1				2 1 3 6 7 	 1 2 1 4 8 1 		 1 74 26 113 3 99 108 173 32 6 3 35 126 314 26 2 14 42 10
18. Pyæmia	1	•••							1	1		3	2				-	7.0		7.0		1
ORDER 2. 1. Syphilis		187	73			73 	45 	33	33	38	3 	1		21 3 	1 	18 2 	3	19 2 		18 1 		11 11 11
	6										3	1		3	1	2	3			1		22
ORDER 3. 1. Privation	35 1 	i i 			 1				1	 1	 1	2 6	4 2 8	3 1 2 5	1 3	1 1 3	5 1 4	1 1 2	1 	2	8 1	27 36 4 9 38
	36	1			1			5	2	1	5	8	14	11	4	5	10	4	1	2	9	114
ORDER 4. 1. Thrush 2. Worms, &c. 2α. Hydatid	24					1 1		 2 2				 1 1	1 1 1	2 2	 1 1	 1 1	 1 1		····			23 2 9 34
Total, Class I	463	188	73	61	37	74	45	35	35	39	34	41	39	37	31	26	41	25	23	21	9	1,377
CLASS II.—ORDER 1. 1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification	3	3 3		 1 		3 1 1		3 1 3 1 1	 1 	1 1 	 2 2 3 7	 6 7 5 1	 8 14 1 1	 9 14 3 3	1 12 18 3 1	1 8 19 3 	 10 12 3 1	 14 16 2 4	12 18 1 1	 7 13 1 1 22	 1 1	2 101 137 30 16
ORDER 2.		1		-		-							2-1						-		100	
1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3a. Hœmoptysis 4. Hydrocephalus 4a. Abscess	16 6	36 3 9 1	2 1 	i i 	2 	 1 1	1 11 	20 3	51	68 4	60 2	65 3	60 2	1 44 2 2	26 3	 11 2	 7 2	 1 2	 3 1	 3 	 2 	3 87 452 2 26 34
	85	49	3	1	2	2	12	23	51	72	62	68	62	49	29	13	9	3	4	3	2	604
Total, Class II	89	52	3	2	2	7	12	31	52	74	69	87	86	78	64	44	35	39	36	25	3	890

G 3—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS III.—ORDER 1. 1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy. 7. Convulsions 8. Brain Disease, &c	41 351 2	18 72	9 2 2 12 2	4 2 2	1 1 2 3	2 1 5 6	3 3 4 3	1 1 1 1 6 3	2 2 2 1 10 1	3 2 2 1 5 3	1 7 1 1 7	2 5 10 2 2 8	2 3 9 2 3 8	 11 11 6 3 11	1 8 10 5 6	 10 7 5 1 4	3 10 14 2 7 5	12 18 2	 10 16 1 3 6	 7 17 7	 1 1 2	93 82 131 22 1 62 437 89
Order 2. 1. Pericarditis 2. Aneurism 3. Heart Disease, &c	394	90	27	8 2	7 1	14 3	13 2 7	9	18 1 11	16 1 16	18 1 16	29 2 18	27 1 7 22	42 4 38	30 5 34	27 1 33	41 2 39	32 34	36 1 18	23	1 1	917 6 24 328
Order 3. 1. Laryngitis	3 2 142 70	3 49 2 26	2 22 1 21	2 8 1 15	1 5 2 3		9 2 1 10	9 2 2 21	12 1 2 2 24	17 5 1 19	17 1 17	20 4 4 25	30 13 2 29	42 4 3 27	39 1 6 4 28	34 10 1 20	1 19 2 22	34 14 3 21	19 10 3 11	23 12 13	 2 1 4	13 348 36 438
4aCongestion of the Lungs —Pulmonary 5. Asthma 6. Lung Disease, &c	25	11 1 92	3 49	3		2 31	1 2 16	3	3 1 	5 2 32	6 1	2 1 4 40	4 3 2 53	5 1 2 	6 4 5 54	3 4 38	7 4 3 	2 2 1 43	$\frac{4}{7}$ $\frac{2}{37}$	5 6 2 38	3 10	103 39 28 1,005
Order 4. 1. Gastritis	74 6 2 6 2 3	4 22 2 1 2 1 	6 1	2 2 	2 2 1 	2 6 5 	3 6 3 1 	7 2 1 1 3 1 4	2 11 8 2 	1 4 4 1 2	3 5 7 1 1 2 4 1	4 5 1 5 3	5 2 2 1 1 1 2 5 5	1 6 2 1 2 2 3 2 9	4 1 1	3 3 3 1 1 2 4 1 7	2 9 1 1 3 1 12	3 4 3 1 3 1 1 4	6 2 1 1 3 2 1 5	4 1 1 2 2 1 1 3	 1 	55 188 54 7 1 11 7 22 32 13 80 2
ORDER 5. 1. Nephritis		2 1 1	1	5		1 1 1 1	1 1 1	18 2 	29 3 2	12 2 2 2	1 1	2 2 1 1 3	2 6 1 1	1 5 	1 1 3 3 1 2	25 1 6 2	29 8 1 2 2	20 2 3 4 6 3*	1 3 1 2 1	13 1 1 9 6	1	16 1 44 13 3 24 27
Order 6. 1. Ovarian Dropsy 2. Uterus Disease, &c		4				3	3			1 1		9 4	11	6	11	9		18	8	17		128 1 10
ORDER 7. 1. Arthritis							1 1	1	2			4 , 1			1					 1 		2 1 6
ORDER 8. 1. Phlegmon	1	 1 					2	1	1		1					1		 1 	 1 	1 1 		9 7 1 8
Total, Class III	758	219	86	45	24	66	58	72	100	83	89	121	140	161	157	134	182	148	122	124	19	

G 3—continued.

									00100	· · · · · · · · · · · · · · · · · · ·							100			1		,
CAUSES OF DEATH.	Under I year.	1 to 2 years.	2 to 3 years.	to	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total,
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	138 2 2 16 89	1 1 71													•••			•••	•••		•••	138 3 2 17 160
	247	73																		•••		320
ORDER 2. 1. Paramenia	•••							3	 12	12		23	5				•••				 1	70
								3	12	12	14	23	5								1	70
Order 3. 1. Old Age	,	•••						7									81	60	127	347	2	617
ORDER 4. 1. Atrophy and Debility		30		-		,			\\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\													349
Total, Class IV	562	103	4				.,.	3	12	12	14	23	5	•••			81	60	127	347	3	1,356
CLASS V.—ORDER 1.—ACCIDENT OR NEGLIGENCE. 1. Fractures & Contusions 2. Wounds \{ \alpha \ (\alpha \) Cuts	6 1 4 1 1 10	2 9 1 1 10 10	18 2 2	1 1 1 7 1 5 4 	5 1 2	10 2 1 10 1 2 7 1	16 1 2 1 2 6 	19 2 5 1 1 5 	24 1 1 1 13 1 	20 1 1 1 1 10 34	21 1 1 2 1 6 1 	22 1 1 1 1 10 	12 1 1 10 1 25	28 2 1 9 2 1	18 1 1 2 7 1	13 1 1 16	20 1 2 1 2 7 2 2 	10 1 1 3 	5 1 1 4 2 	10 3 3 1 3 1	3 2 1 1 5 	268 10 3 77 23 27 5 134 21 3
									-									1			-	
Order 2.— VIOLENT DEATHS IN BATTLE. 1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise				-																		
ORDER 3.—HOMICIDE.	-				1			3		1/1/1					•••	***	•••	•••				
1. Murder	1									1	1	$\begin{bmatrix} 2\\1\\3 \end{bmatrix}$		1		•••	1	1 			1	9 1 10
Order 4.—Suicide. 1. Wounds { Gunshot Cut, Stab, &c 2. Poison 3. Drowning	7								1		2	1	 1 1	2 2 1	4 2 2	 1	2	1 1	1			12 9 6
4. Hanging								•••	1 1	1	5	1 4	1 1	2	1	1 3		2			2	6 20
5. Otherwise		•••	•••		,		•••		••••	1	1	•••	1		2	,	1	Ĩ			1	8
	····								3	3	8	6	5	7	11	5	3	5	1	1	3	61
Order 5.—Execution. 1. Hanging				***		.,.								1		•••						1
Violent Deaths not classed	1							•••					• • •	•••	.,.	•••		•••				
Total, Class V	25	23	40	24	11	34	28	33	44	38	42	45	30	52	41	21	39	21	14	22	16	643
Causes not specified or ill-defined									1				1		1						7	10
GRAND TOTAL	1.897	585	206	132	74	181	143	174	244	246	248	317	201	200	294	205	378	293	229	539	57	7,184
20112									211			017	301	960	204	260	370	200	944		01	,,101

H.

Summary of Deahts, of Both Sexes, registered in the Colony of New South Wales, during each Month of the year 1881, classified under the heads of the several causes of Death.

	Jan	uary.	Febr	uary.	Ma	rch.	Ap	ril.	M	ay.	Jui	ie.	Jul	у.	Aug	ust.	Septe	mber.	Octo	ber.	Nove	mber.	Dece	mber.	To	otal.	al.	e of ths of
CAUSES OF DEATH.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Grand Total	Percentage total Dea the Year.
I.—ZYMOTIC DISEASES. 1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.) 2. Enthetic Diseases—(Syphilis, Gonorrhea, &c.) 3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.) 4. Parasitic Diseases—(Thrush, Worms, &c.)	90	$\frac{1}{17}$	$\begin{array}{c} 2 \\ 14 \end{array}$	11	10	1	13	9	$\begin{array}{c c} 3 \\ 12 \end{array}$	5	3	2 9	2	6	1		2	2	3		66 2 8 1	59 5 2	1	3	25 143	887 6 86 26	1,854 31 229 48	·26 1·99
Total		15	116 21 63		19	19	19	15	103 16 58	17	10	15	22	51 15 35	61 22 58	19	17	15	20	54 14 31	22	19		21	235	1005 206 422	$\frac{441}{1,152}$	
Total III.—Local Diseases. 1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity,		56	84	61	74	60	64	50	74	49	76	46	80	50	80	62	79	41	87	45	77	53	97	55	965	628		
2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease)	86		74 24		81				52 23			50	61 32	45 13	72 41	64 15		50 16		50 24			98			655 216	1,541 572	13·36 4·96
 Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.) Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.) 	72 38		45 43				68 35					69	86		106	71		56	90	54	69		75		895		1,516	
 5. Diseases of the Ormary Organs—(Nephritis, Isohuria, Diabetes, &c.) 6. Diseases of the Organs of Generation—(Ovarian Dropsy, Uterus Disease, &c.) 	11			-	12	9	8	5	18	5		6	28 9	24 13 2	28 14	28 6	26 13	31 8	31 16	26 5	34 10	32 6	15		423 154		827 238	7·17 2·06
7. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.)	1		1			1	1			1 2	2				2 2	1			3			1			7 9	8	15 16	13
Total	-			155	244	176	200	140	190	177	247	180	217	146	265	187	216	163	240	163	201	149	267	179 2	2730 2	2013		
1. Diseases of Children—(Cyanosis, Teething, &c.) 2. Diseases of Adults—(Paramenia, Childbirth, &c.) 3. Diseases of Old People—(Old Age, &c.) 4. Diseases of Nutrition—(Atrophy, Debility)	37	6 19		15 12	33 35 37	9 19	48	5 17	21 39 23	7 23	15 54 36	9 26	47	12 24	16 52 24	12 25	32	9 20	37	21	20 46 35	4 20	20 39 34	6 30		103 256	490 103 755 721	4·25 ·89 6·55 6·25
Total V.—VIOLENCE. 1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning,	103	87	87	96	105	91	118	70	83	73	105	80	87	60	92	71	79	60	82	67	101	70	93	109	135	934		
Suffocation, Wounds, &c.) 2. Violent Deaths not classed 3. Homicide—(Murder and Manslaughter) 4. Suicide—(Poison, Drowning, Hanging, &c.) 5. Execution—(Hanging)	2 3 9	18	$\begin{array}{c} 1 \\ 2 \\ 2 \end{array}$	1	2 5	8 1 1 1	4 1 5	16	1 2 9	11 2	2 2 4		1 4		3 5	 2 1		9 2	6				76 1 1 8		606 24 17 75	166 3 5 8	772 27 22 83	6·69 ·23 ·19 ·71
Total		18	56	20		11	61	16	60	13	$\frac{1}{52}$		50		67	14			67	10	49		86	26	724	182	2	.02
Unspecified	3	1			3	1	1	2	3	1	7	2	8	3	4	3	3	4	2	2	3	2	5	-	42		63	.55
Totals from all causes	644	490	545	430	610	449	558	374	513	409	568	403	503	327	569	393	487	327	561	341	508	353	687	487	6753	4783	1,536	100.00

I.

Table showing the Deaths which have occurred, from the causes stated, in each of the several Wards of the City of Sydney, from 1st January to 31st December, 1881, distinguishing those under Five years of age.

SYDNEY, IPOL	Gip	-	1		1		Maco		1		1		Phi				1		otal De				use in	Sydn	ey.	
CAUSES OF DEATH.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	1881.	1880.	1879.	1878.	1877.	1876.	1875.	1874.	1873.	1872.
CLASS I.—ORDER 1.																										
1. Small-pox					• • • • • • • • • • • • • • • • • • • •		77.0	100				1 8				2	3 6	 144					 162	62		
2. Measles 3. Scarlatina 3a. Diphtheria	2			1				•••	3 3		1 3			1	1		8 9	16 8		3 17	4 20	206 17	105 36	37 12	5 16	54
4. Quinsy	1			1	-		1		1 5 3		1 2		 1 5	1	3	2	3 16 16	1 20 48	40	1 34 92	3 17 15	$\begin{array}{c} 3 \\ 34 \\ 1 \end{array}$	27 	5 16 21	$\begin{array}{c} 2 \\ 18 \\ 12 \end{array}$	18 14
6. Whooping-cough 7. Typhoid (and Infantile Fever)				22		2	1	2	2	4		7	1	4	2	6	58	54	77	103	61	77	75	39	61	36
8. Erysipelas 9. Metria (See Childbirth) 10. Carbuncle				1 1		•••		•••	1	•••		3		1		2	5 7 	6 	6 3 2	4 2 1	11 2 	19 11 	26 18 	18 23 	9 2	3 16 1
11. Influenza				1		1				2				1	1 27	2 2	 11 141	23 173	1 29 158	35 147	12 157	14 15 133	6 29 208	$\begin{array}{c} 2 \\ 15 \\ 159 \end{array}$	1 13 108	3 23 147
13. Diarrhea	1	2		1	3		8	2	2			4	21 3 				13 1	19	24 1	18 2	16	18 2	20 6	17	13 1	12
16. Remittent Fever 17. Rheumatism				1				3	1	1 1	1	1		1		1 3	2 10 3	1 10 5	6 16 2	 13 2	 12 2	4 11 5	6 14 6	3 9 2	3 9 2	1 6 3
19. Parotitis								•••					.1					1		1		1				
ORDER 2.	19	9	4	45	10	5	13	7	54	15	17	16	31	11	34	22	312	539	394	4/5	337	572	748	440	279	345
1. Syphilis					8			1-385	1	1			2				5	10 10	8 5	9	9	11 6	9	6 3	13 1	10 5
									1	_1			2		1		5	20	13	10	12	17	12	9	14	15
ORDER 3. 1. Privation					A .				-		3				2			6		24	31	1 38	29	1 22	30	3 31
3. Purpura and Scurvy 4. Alcoholism—				1			1		•••		,						2		2		4 2	2	2 17	4	6	2 4
a Del. Tremens b Intemperance 5. Rickets		2		21				4		3		9	1	2		5	14 46 1	14 23	16 23	8 31 1	37	35	20	8	16	5
	1	3		26		1	2	4	7	3	3	17	5	2	2	5	81	43	54	64	74	83	68	42	57	45
ORDER 4. 1. Thrush				S. t.x			1	3 338									1	6	4	6	3		7	4	6	5
2. Worms, &c				100													2	5	3	6	4	3	2	3		
Total, Class I	20	12		73	10		15			10		22		1.0		97	3 401	613	7	12	8	676	9 837	7	358	411
Total, Class 1	20	12		10	10		10	11	00	19	20		00	19	01		401	010	400	901	401	070	001	450	-	
CLASS II.—ORDER 1.		1																								
1. Gout				3		4				0		1 4		1		2	1 29	2 38	7 29	4 28	4 47	3 50	3 15	1 9	2 21	4 16
3. Cancer		4		14					 2	6				4		3	44 10	52 8	47 5	41 11	33	48	44 2	49 1	56	38
3b. Polypus			•••	1					•••								2	$\begin{array}{c} 1 \\ 1 \\ 2 \end{array}$		 2 4	3	 2 3	 3 4	 1 4	2 2	7
		7		19				11		13	-	15		5		5		104		90	96	110	71	65	85	65
ORDER 2. 1. Scrofula				2													2	3	4	8	10	7	8	12	16	14
2. Tabes Mesenterica 3. Phthisis 3a. Hemoptysis	1	24		$\begin{array}{c} 1 \\ 71 \\ 3 \end{array}$				14		37		42	1			18	41 234 4	51 212 10	59 237 5	61 176 3	41 166 6	60 202 3	57 201	48 165	25 153 	38 155
4. Hydrocephalus 5. Abscess				2	2	2	2		1			1	1				9	15 6	9	11 4	7 2	19	19	17	7	10
m 4 1 27 - 55	4		/	79		14					11			14			293	297							202	
Total, Class II	4	32	1	98	3	22	7	25	13	51	11	58	5	19	8	23	379	401	409	353	328	402	356	307	287	283

I—continued.

	Gij	pps.	Bou	ırke.	Bris	bane	Macq	quarie	Co	ok.	Fitz	zroy.	Ph	illip.	Der	nison		To	otal D	eaths	from e	ach C	ause in	n Sydn	iey.	
CAUSES OF DEATH.	Under.	r.	Under.		Under.		-	T.				1	-			1							K		1	1
	Unc	Over.	Unc	Over.	Unc	Over.	Under.	Over.	Under.	Over.	Under,	Over.	Under.	Over.	Under.	Over.	1881.	1880.	1879.	1878.	1877.	1876.	1875.	1874.	1873.	1872.
CLASS III.—ORDER 1. 1. Cephalitis	6				3						6	2	3		4	1	48	53	53	52	50	44	61	59	80	59
2. Apoplexy		1		14		4						16		6				47 35					67 24	56 23		
4. Insanity																		2		2	2	3	2	2	1	
6. Epilepsy	12		3		10		10		23							2		17 157	13	17		15 112			15.4 Pro 27.5 Per	16
8. Brain Disease, &c		11		11		1		3.70		_		8	2					45	46	46	34	36	41	51	45	
Order 2.					13		19	9		52	21	58	22	10	29		331	357	318	310	278	293	310	322	313	297
1. Pericarditis		1	2000						300	1 2						1	6 9	4 8	6 8		5 10	4 7	4 9	6 7	7	1 8
3. Heart Disease, &c						1		6		17		20		2 5		0		128							87	92
		9		31		_1		6		20	1	21		7		8	104	140	135	117	99	126	120	104	94	101
ORDER 3. 1. Laryngitis	1				1							1					3	4	7	11	6	6	6	7	3	3
2. Bronchitis	6	2	2	17	4	3	4		13	10	8	9	11	3	18	5		148 11	93	94	85 8	108 14	15	104	80 4	84
4. Pneumonia				25	4	4 2	1	1 2		12	4	9	1 3			1	88 28	110 81	64 25	71 31	74 22	82 19	106 13	94	73	80
Lungs—Pulmonary. 5. Asthma		1								2					1		7	10	4	5	1	3	11	11	9	6
6. Lung Disease, &c		10			 11	11		8	28		13	20	15	9	28	7	256	$\frac{10}{374}$	212	226	206	$\frac{11}{243}$	268	233	15	10
Order 4.						-																		-		
1. Gastritis				1	4 4	1	1 1		4 5	2 2	1 2		8	3		2	27 47	22 58	30 56	22 59	26 22	22 29	35 38	14 36	5 42	6 35
3. Peritonitis	1			3 5						2		3		1	1	2	13 7	17	16 6	7 8	16	13 4	20 4	13 4	5 4	14 6
5. Ulceration of Intestines 6. Hernia		1		3						1		1				1	3 5	10	3 4	1 5	4	2 3	3	2 3	4	6 4 2 8 5
7. Ileus	1			1	1				2 1		1	1		1	1		9 2	7	10	5 1	6 3	1 2	8 3	2 2	2 4	8 5
9. Stricture of Intestines 10. Fistula																1	3	2	1	3	2	1	2	2	1	
11. Stomach Disease, &c 12. Pancreas Disease, &c				2						1				1	1		5	8	3	11	5	15	7	7	19	15
13. Hepatitis				3 2						- 1	1	2	1		2	3	12 6	15 8	22 7	3	27 5	31 7	23 5	5	9 8	15 5
15. Liver Disease, &c 16. Spleen Disease, &c		2		6				1		3			,-	1		2	18	24	45	23	28	32	51	41	38	26
	6			-	9		2	-	12	16	5	15	13	7	21	11	157	178	204	179	147	162	202	137	142	141
Order 5. 1. Nephritis						1				9				-			3	9	4	3	11	12	10	7	4	1
2. Ischuria 3. Nephria				1								1		2		2	1 44	2 46	40	1 39	30	44	32	37	22	1 10
4. Diabetes 5. Stone																1	3	4	3 2	1	3	1	4 3	2 2	2	1
6. Cystitis 7. Kidney Disease, &c		0		1										2		1	4 18	8	6 11	7	5 10	3	8	3 18	4	3 15
" Hitaley Disease, de	•••			32												4	-	85	66	70	59	72	69	71	42	32
Order 6.		ALL PROPERTY OF THE PARTY OF TH		and the same of				The street of the				The state of the s				-			-	1	1	7			0	7
1. Ovarian Dropsy 2. Uterus Disease, &c										1							1	3	3	5		$\begin{bmatrix} 1 \\ 6 \end{bmatrix}$	5	5	3	2
										1							1	3	4	6		7	5	5	5	3
ORDER 7.				-		TOTAL STREET				7				-		CONTRACTOR	1	2	1	1	2	3	2			1
1. Arthritis				2								1					1 2	2	3	1	2	2			1 3	
2. John Discuse, ac				-		-	-							-		-	4	4	4	2	4	5	3	1	4	1
Order 8.				-		1	1											1				1	9			1
1. Phlegmon																1	2	2	3	1	2	3	1 2	2 2	1 2	5
3. Skin Disease (Eczema, Leprosy, &c.)						-			1								1		7	9			2	2	2	3
		1										-		_		1	3	3	10	4	2	4	5	4	3	9
Total, Class III	38	41	91	97	33	26	20	25	73 1	09	401	.03	50	39	78	49	930	144	953	914	795	912	982	877	787	768
	-	-	,	-	-		-	1	-		-	-	-	-	777	1			1		7 1 73					-

I—continued.

	Gip	ps.	Bou	rke.	Bris	bane	Macq	uarie	Cod	ok.	Fitz	roy.	Phil	lip.	Den	ison.		То	tal De	aths f	rom ea	ach Ca	use in	Sydne	ey.	
CAUSES OF DEATH.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	1881.	1880.	1879.	1878.	1877.	1876.	1875.	1874.	1873.	1872.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	5		2		2				1						5 1 5		42 7 1 5 19	52 10 10 38	42 3 3 23	57 9 3 8 30	48 6 2 6 51	60 5 3 5 35	67 4 5 41	6	1 7	3 1 3
	-		-		3		8		17		10		12		11		74	110	71	107	113	108	117	87	77	97
ORDER 2. 1. Paramenia	-	2	-					-						_		1	17	2 20	8	13	18	2 17	30	-	3	
		2		1	-			4		2		4		3		1	17	22	9	13	18	19	31	4	3	
ORDER 3. 1. Old Age		3		16		5		4		17		7		5		6	63	68	76	78	56	69	61	51	60	50
ORDER 4. 1. Atrophy and Debility Total, Class IV	-			-	-	-	-	-	-		-	-			25 36		144	7227	4.00	- AB -	301	2000	162 371	142	100000000000000000000000000000000000000	TOTAL COLUMN
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE 1. Fractures & Contusions 2. Wounds { a Gunshot b Cuts 3. Burns and Scalds 3a. Sunstroke 4. Poison 4a. Bite of Snake or Insect 5. Drowning 6. Suffocation 7. Otherwise	1	4		58	8 1 33 12 1 1	2	 2 1	3	1 1 2	2 1	2 1 1 	4 1	2	3		8 1 1 3 3	90 5 9 7 1 12 9 4	66 7 8 2 8 10 8	44 3 11 2 2 15 4 3	51 2 6 16 3 3 4 11 2	40 1 6 4 1 15 8	35 4 22 1 12 6 1	40 6 10 1 4 1 10 7	35 } 4 9 3 1 16 2 4	32 5 19 4 1 21 4	36 3 8 2 1 13
ORDER 2.— VIOLENT DEATHS IN BATTLE. 1. Gunshot Wounds 2. Sword and Bayonet	1												N. T.		2		137	109			75		79	74	86	63
Wounds																										
Order 3.—Homicide. 1. Murder 2. Manslaughter		1		2	2				1	1							5 4 -	9 3	 4 5 —	6 4 10	${6}$ $\frac{6}{1}$ $\frac{7}{7}$	2 8 10	 3 2 — 5	130	4 2 6	
Order 4.—Suicide. 1. Wounds { Gunshot Cut, Stab, &c]	1	2							•••						3	2 2	1 4	4	4 1	1 5	1 5	4	4	2 3
2. Poison 3. Drowning 4. Hanging 5. Otherwise			2	2	2					1		1				1 	3 2 2 3	5 2	3 1 	2 1 	3 2	4 2 1 1	4 1 3 1	1 3 	1 1 6	₂
Order 5.—Execution. 1. Hanging																	13	2	9			14	15 1	7/2	4	
Violent Deaths, not classed (Open Verdicts,— Found drowned, &c.)		. 8	-	-	4	-	-					2				4	27	15	20	19	15	14	8			•••
Total, Class V.	6	3 19	3	82	2 2	2 11	4	5	5	6	4	12	4	3	3	21	187	149	122	134	107	120	108	96	102	80
Causes not specified or ill-defined		-	1	-	-	-	-	2	-	-	-			-	1 -	-	51	1	29		-		2	15		1-
GRAND TOTAL	84	113	3 24	488	59	72	67	76	203	208	102	225	147	86	162	130	2246	2740	2266	2321	2000	2491	2673	2077	1800	1810

J

BIRTHS and DEATHS occurring at Sea in the Colony of New South Wales, from 1st January to 31st December, 1881.

					Births.			Deaths.	
				Males.	Females.	Total.	Males.	Females.	Total.
Sydney	 	 	 	1	2	3	38	3	41
Newcastle	 	 	 				1		1

K
RETURN OF REGISTRATION DISTRICTS, with the Names of the Persons holding the office of District Registrar.

District.	Name of Registrar.	Date of Appointme		District.	Name of Registrar.	Date of Appointm	
Sydney	The Registrar General	1 April,	1881	Greta	Thos. Jones	1 April,	1881
Balmain	William Parker	1 ,,		Scone	J. T. Wilshire, C.P.S	1 ,,	,,
Leichardt		1 July,	1882	Muswellbrook	T. Foley, C.P.S.	1 "	,,
Canterbury		1 April,	1881	Cassilis	J. H. Tompson, C.P.S.	1 ,,	22
Petersham		1 June,	,,	Murrurundi	G. R. Evans, C.P.S.	1 "	,,
Glebe	TTTILL TO 1 2 C 1 1 C	1 April,		Denman	Hy. S. Hawkins	1 ,,	,,
	Charles Alfred Newman	1 ,,	,,	Wollongong	Alfred A. Turner, C.P.S	1 ,,	,,
	Henry Gale	1 "	,,	Woonoona	Edward Ramsay	1 ,,	,,
Randwick		1 "		Inverell	W. C. Cardew, C.P.S.	1 ,,	,,
Waverley	R. T. Orr. do	1 Feb.,	1882	Kiama	H. Connell, C.P.S	1 ,,	,,,
Woollahra		1 April,		Kempsey	J. B. Casev, C.P.S	1 ,,	,,
Redfern	~	1 ,,	,,	Bellinger River	T. C. K. M'Kell, C.P.S.	11 Mar.,	1882
	F. H. B. Salmon	1 ,,	,,	Nambuccra River	G. Henderson, Assistant D.R.	1 April,	, 1883
St. Leonards		1 "	,,	East Maitland		5 Mar.,	199
	Æ. M. Stephen, Assistant D.R.	1 ,,	,,	West Maitland	G. H. Smithers, C.P.S.	o Mar.,	100
Albury				Minmi	J. E. Fenwick, Assistant D.R.	1 May,	,,
Hume		1 Feb.,	1882	Molong	J. H. Nisbett, C.P.S	1 April,	, 188
Argyle	15		1001	Cooma		1 ,,	188
Goulburn	C. S. Alexander	1 April,	1881	Bombala	Jas. Giles, C.P.S.	1 April	
Crookwell	Walter S. Gunn, Assistant D.R.	1 ,,	33	Morpeth	Jas. Keating	1 ,,	,,,
Hav	L. W. A. Macarthur, C.P.S	1 ,,	33	Mudgee	F. S. Isaacs, C.P.S.		,,,
Balranald	W. V. M. Cooke, C.P.S.		"	Gulgong	C. Coghlan, C.P.S., Assist. D.R.	1 ,,	,,,
Bathurst		,,	,,	Tambaroora	J. S. Willard	1 ,,	
East Macquarie		1 ,,	,,	Hill End	D. E. Troughon, C.P.S., As-	1 June,	
West Macquarie		3,	3,		sistant D.R.		
	J. P. Hayes, Assistant D.R	19 June	,,	Rylstone	W. W. Armstrong, C.P.S	1 April	, ,,
	L. M'Guinn, C.P.S.	1 April,		Deniliquin	W. H. Hooper		
	W. J. E. Wotton, C.P.S.		,,	Moulamein	T. Linton.	14 June,	
Bourke	L. F. Layard, C.P.S.	1 ,,	33	Moama	L. S. Donaldson, C.P.S.	1 April	
Cobar			1882	Jerilderie	T. Symons, Assistant D.R	28 July,	
Braidwood		1 April,		Wagga Wagga	E. H. Tompson, C.P.S.	1 April	
			1001	Narranderra	J. L. King, C.P.S.	1 ,,	
Camden			1889	Urana	J. D. Osborne, C.P.S.	25 Mar.,	. 188
Campbelltown				Hillston	N. C. O'Neill, C.P.S	14 April	
Picton	W. R. Antill	1 April,		Coonabarabran	F. W. Edwards, C.P.S.	1	
Berrima		1 ,,	33	Coonamble	R. R. Bailey, C.P.S., Assist.D.R.		59
Robertson			33			7	"
Carcoar			"	Narrabri	C. E. Smith		,,
Cowra	W. B. Simpson	1 ,,	"	Walgett	Jas. Millar, Acting D.R	1	, 39
The Clarence—	TITLE I III III III	1 D.		Penrith	J. K. Cleeve, C.P.S.	7	"
Maclean	J.W. Madgwick, Assistant D.R.		33	Newcastle	J. Burrows	1 ,,	"
Ulmarra	John M'Gregor	1 ,,	"	New England—	Tames Prov. C.D.S	1 "	
Central Cumberland	Geo. Wickham, C.P.S	1 ,,	"	Armidale Walcha	James Bray, C.P.S	7	"
Parramatta				Uralla		7	"
Ryde			35		E. Marriott, C.P.S.		"
Liverpool	. W. Long	1 ,,	2)	Bundarra	Geo. A. H. Morton, C.P.S		"
Durham—		1 T		Lambton	W. F. Dent, Assistant D.R Thos. Alnwick, do	7	"
Clarence Town	. J. Lyall	1 June,	,,	Wallsend			22
Dungog	. C. G. Smith, C.P.S	I April,	33	Waratah	A. K. Beveridge, C.P.S		
	. B. Newbury	1 ,,	,,	Orange	W. T. Evans, C.P.S.	1 ,,	, ,,
Bega	. J. Davis, C.P.S	1 ,,	3)	Patrick's Plains		18 Aug.,	188
Eden			33	Queanbeyan	C. H. Emery	1 April	
Moruya		F T	"	Casino	M. M. Campbell, C.P.S	7	
Forbes	. C. E. Oslear, C.P.S		33	Lismore	W. Carson, C.P.S.	1	"
Parkes	. W. C. Weston, C.P.S	1 April,	,,,	Tweed River	Joshua Bray, C.P.S.		"
Condobolin	. F. Burne	1 ,,	1000	Shoalhaven	Wm. Lovegrove, C.P.S	1 ,, 17 Oct.,	"
Glen Innes	P. Lé Jeune, C.P.S		1882	Milton	F. P. Mears	1	"
Vegetable Creek		29 April,	7007	Tamworth	John M'Donald, C.P.S	1 ,,	"
Stroud	. T. Laman, C.P.S	1 ,,	1881	Nundle	Saml. Kermode	1 July	100
Raymond Terrace		1 Jan.,		Manilla	D. E. Veness	1 July,	
Copeland	J. Baker	1 April,	1881	Tenterfield	C. L. C. Badham, C.P.S.	6 April	
Grafton	W. Clarke, C.P.S	1 ,,	,,	Adelong	John James, Assistant D.R	1 ,,	188
Grenfell		1 ,,	33	Tumut	A. B. Hilton	1 ,,	9:
Temora			,,	Wellington	F. Marsh, C.P.S.	1 ,,	99
Gundagai		1 ,,	,, -	Wentworth	W. L. Richardson, P.M	1 ,,):
Cootamundra		1 ,,	,,	Wilcannia	W. A. Steel, C.P.S	1 ,,	,,
	THE A T ADA	31 Dec.,	13	Menindie	J. Harper	1 ,,	31
Gunnedah		27 May,		Milparinka	C. M. King	1 ,,	18
Warialda	T T	7 4		Wollombi	A. Elliott	1 ,,	18
Moree	CDC			M'Donald River	T. J. Thompson, P.M.	1 ,,	,
Bingera		1 April,		Brisbane Water	A. T. Kingsmill, C.P.S	1 ,,	,
A A S I WALLE				Yass	A. Money Fisher, C.P.S	22 Feb.,	, 18
Littigow		. 4	33				
Lithgow Wingham	J. A. Creagh, C.P.S.	1		Gunning	J. F. Kenvon, C.P.S	I ADTI	1, 18
	R. Maunsell, C.P.S	1 ,,	,,	Gunning	J. F. Kenyon, C.P.S H. A. Smith, C.P.S.		1, 18
Wingham	R. Maunsell, C.P.S.	1 ,,		Young	H. A. Smith, C.P.S.	1 ,,	